

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.19

LIBRARY
RECEIVED
JAN 30 1947
Dept. of Agriculture

Everett's

Garden Annual

EVERETT SEED COMPANY

78 Alabama St., S.W., (Between Whitehall and Pryor)
ATLANTA, GA.



TOMATO
Ponderosa or Beefsteak




MARIGOLD
Mammoth Mum



DAHLIA
Formal Decorative



ANTIRRHINUM
Guinea Gold




LETTUCE
Oakleaf

**THE COMPLETE
HOME
GARDENING
GUIDE
1947**

Everett's Dependable Seeds for FARM and PASTURE

It has been our privilege to sell farmers of this territory their farm, field and grass seeds for a third of a century. You can get the benefit of all these years of experience by writing, phoning or coming in and talking over your seed problems with us. You'll find a neighborly visit much more satisfactory, we believe, than trying to supply your needs from some far-off source.

Surely, if Everett's farm seeds did not produce superior results, farmers would not continue to buy their needs from us season after season — as they have for thirty years. It has taken us a long time to build our reputation for always offering dependable seeds. You can be sure that we are going to continue to deserve your confidence.



This book is a working tool

This Garden Annual of ours is far more than a seed catalog. As you'll soon see, it is a very complete gardening book.

From end to end, we've crowded this book with practical, usable facts on how to make your garden more fruitful and your home more beautiful. Whether you're an oldtimer or new at gardening, you'll find invaluable help here.

So keep this book on hand throughout the season! *The more you use it, the better your garden will be!*

EVERETT SEED CO.

78 Alabama St., S.W.
(Between Whitehall
and Pryor)

Atlanta, Ga.


Everett's Dependable Seeds for the HOME GARDEN

With the cost of living what it is today, having your own garden assures you of an economical supply of healthful food for fresh use and for canning.

If you have experienced the satisfaction of having a liberal supply of tasty, home-canned vegetables at your fingertips during the winter months, you undoubtedly will want as large a garden as possible again this season.

The vegetable seeds listed in this catalog have been selected by us because we know definitely that they will do well in this area. We will be delighted to help you plan your garden if you come in, phone or write us.

And we would suggest that you be liberal with your flower seed order this season for you and your friends are bound to get a great deal of joy out of the color and beauty which will result. We're waiting to hear from you.



All gardeners of experience know that success with seeds, bulbs, etc., depends largely on weather conditions and proper cultivation, so in accordance with the universal custom of the seed trade we give no warranty, express or implied, as to the productiveness of any seeds, bulbs or plants we sell and will not be in any way responsible for the crop. Our liability, in all instances, is limited to the purchase price of the seed, bulbs or plants.

For Sale — BETTER LAWNS



We offer you 4-WAY SERVICE

1. The right seed

The "better lawns" we sell here get their start with *the right seed* . . . seed carefully selected for the growing conditions of this territory—and for the particular needs of your own lawn.

2. The right foods

Whatever the feeding problems of your lawn, we have the right plant foods for it. All-purpose lawn foods or special fertilizers for special conditions—they're all here for you, in any amount you need.

3. Tested weed controls

The weeds in your lawn will be fighting a losing battle if you let us furnish your ammunition. We have the full range of weed controls to choose from—and can show you how to vanquish lawn weeds easily and surely.

4. Complete lawn know-how

Last, but perhaps most important of all, our 4-way lawn service includes *competent advice* whenever you want it—advice based on thorough knowledge of the lawn problems of this particular territory. We have the necessary know-how—and it's at your command!

EVERETT'S LAWN MIXTURES are especially adapted to our local conditions

DRUID HILLS EVERGREEN LAWN MIXTURE

This lawn mixture is a selected combination of the finest quality seeds—which we have developed after years of experimenting to produce a safe and sound combination. All of the grasses in it are fine-bladed and deep rooting. There just isn't any better mixture than this for the lawns of our territory. If you want a smooth, luxurious deep carpet of emerald velvety-textured grass, try this mixture. 1 lb. 70c; 5 lbs. \$3.25; 10 lbs. \$6.30; 25 lbs. \$15.50; 100 lbs. \$60.00.

EVERETT'S SHADY LAWN MIXTURE

Our shade lawn mixture is especially recommended wherever shade makes it difficult to obtain a good lawn. This mixture is a scientifically developed blend of top quality shade enduring grasses and clovers. Our customers have been getting excellent results with it for years and tell us that it will produce results anywhere that grass can be grown. 1 lb. 75c; 5 lbs. \$3.50; 10 lbs. \$6.80; 25 lbs. \$16.75; 100 lbs. \$65.00.

EVERETT'S LAWN GRASSES

BERMUDA GRASS: 1 lb. 60c; 5 lbs. \$2.75. Ask for prices on larger quantities.

HULLED BERMUDA GRASS: 1 lb. 85c; 5 lbs. \$4.00. Ask for prices on larger quantities.

RED TOP GRASS: 1 lb. 40c; 5 lbs. \$1.75; 10 lbs. \$3.20; 25 lbs. \$7.25; 100 lbs. \$27.50.

CARPET GRASS: 1 lb. 45c; 5 lbs. \$2.00; 10 lbs. \$3.60; 25 lbs. \$8.50; 100 lbs. \$32.50.

RYE GRASS: 1 lb. 20c; 5 lbs. 85c; 10 lbs. \$1.50; 25 lbs. \$3.50; 100 lbs. \$12.50.

KENTUCKY BLUE GRASS: 1 lb. \$1.50. Ask for prices on larger quantities.

(All prices subject to change.)

EVERETT SEED CO., ATLANTA, GA.

EVERETT'S Vegetable Seed Prices for 1947

(All prices subject to change without notice)

ASPARAGUS Roots,		25	100	
2-year crowns		\$0.90	\$3.25	
BEANS, Green Pod	Lb.	2 Lbs.	5 Lbs.	
Bush varieties				
Ey. Red Valentine	\$0.40	\$0.75	\$1.50	
Dixie White 1/2 runner40	.75	1.50	
All other varieties listed40	.75	1.50	
BEANS, Wax Podded				
Bush varieties				
All varieties40	.75	1.50	
BEANS, Pole				
All varieties40	.75	1.50	
BEANS, Bush Lima				
Fordhook No. 24255	1.00	2.25	
Dixie Butter Pea45	.85	2.00	
All other varieties40	.75	1.50	
BEANS, Pole Lima				
All varieties40	.75	1.50	
BEETS	Oz.	4 Oz.	8 Oz.	1 Lb.
All varieties	\$0.15	\$0.45	\$0.80	\$1.40
SWISS CHARD—Lucullus ..	.15	.40	.75	1.35
BROCCOLI—Green Sprout ..	.25	.90	1.75	3.25
CABBAGE				
Copenhagen Market35	1.00	1.75	3.00
Golden Acre	sold out			
All other varieties30	.90	1.50	2.75
CARROT				
All varieties15	.45	.80	1.50
CAULIFLOWER	(25c Packets only)			
CELERY	(10c Packets only)			
COLLARD				
All varieties10	.25	.40	.65
SWEET CORN	1/2 Lb.	1 Lb.	2 Lbs.	
Country Gentleman	\$0.25	\$0.45	\$0.75	
Golden Bantam25	.45	.75	
Stowell's Evergreen25	.45	.75	
Cherokee Sweet25	.45	.75	
Golden Cross Bantam30	.50	.90	
Truckers Favorite15	.25	.45	
POPCORN				
Yellow Dynamite20	.35	.60	
CUCUMBER	Oz.	4 Oz.	8 Oz.	1 Lb.
A. & C.	\$0.25	\$0.75	\$1.25	\$2.25
Improved Long Green25	.75	1.25	2.25
Cubit45	1.50	2.50	4.50
All other varieties20	.60	1.00	1.75
DILL				
Long Island Mammoth	(10c Packets only)			
EGGPLANT	1/2 Oz.	Oz.	4 Oz.	Lb.
All varieties	\$0.35	\$0.60	\$2.00	\$6.50
ENDIVE				
All varieties15	.25	.60	1.75
KALE				
All varieties20	.50	1.50	

In PACKETS at 10c per packet

unless otherwise noted

LETTUCE	1/2 Oz.	Oz.	4 Oz.	Lb.
Great Lakes50	1.50	4.50	
Imperial varieties30	.90	3.25	
New York30	.90	3.25	
Iceberg20	.60	1.80	
All other varieties20	.60	1.80	
MUSKMELON or CANTALOUPE				
Honey Dew25	.70	2.25	
All other varieties20	.60	1.85	
WATERMELON				
Dixie Queen25	.75	2.25	
Florida Giant25	.70	1.95	
Cannon Ball25	.70	1.95	
Black Diamond25	.70	1.95	
Stone Mountain25	.75	2.25	
Garrison35	1.00	3.25	
Blacklee25	.75	2.25	
Georgia Wilt Resistant25	.70	1.95	
All other varieties20	.60	1.75	
MUSTARD				
All varieties10	.25	.75	
OKRA: All varieties15	.35	.95	
PARSLEY20	.50	1.50	
PARSNIPS20	.50	1.50	
PEAS, English	Lb.	2 Lbs.	5 Lbs.	
All varieties40	.75	1.50	
PEAS, Crowders	Prices later—Ask.			
PEPPER	1/2 Oz.	Oz.	4 Oz.	Lb.
Cal. Wonder	\$0.40	\$0.75	\$2.40	\$8.00
Large Bell—Bull Nose30	.55	1.50	5.00
Pimento40	.75	2.40	7.50
Long Red Cayenne—Hot25	.40	1.25	4.50
Hungarian Wax—Hot25	.40	1.25	4.50
PUMPKIN	Oz.	4 Oz.	8 Oz.	1 Lb.
Ky. Field or Large Cheese	\$0.20	\$0.45	\$0.70	\$1.25
Big Jumbo25	.65	1.00	1.75
Striped Cushaw20	.45	.70	1.25
RADISH: All varieties15	.30	.50	.85
SPINACH				
New Zealand25	.75	1.10	2.00
All other varieties10	.20	.35	.60
SQUASH				
Table Queen20	.60	1.00	1.75
Hubbard20	.60	1.00	1.75
All other varieties20	.50	.85	1.25
TOMATO				
Brimmer	\$0.85	\$2.75	\$4.50	\$8.50
Ponderosa85	2.75	4.50	8.50
Oxheart	(10c Packets only)			
New Improved Stone35	1.00	1.75	3.50
Marglobe Wilt resistant40	1.20	2.10	4.00
Pritchard50	1.50	2.50	4.50
Rutgers50	1.50	2.50	4.50
Stokesdale50	1.50	2.50	4.50
Pan-America75	2.50	4.00	7.50
Jubilee	(10c Packets only)			
Break-O-Day60	1.90	3.25	6.00
TURNIP				
Seven Top10	.20	.30	.50
Shogoin10	.25	.40	.75
All other varieties10	.20	.35	.60
RUTABAGA10	.20	.35	.60

Get a head start with healthy VEGETABLE PLANTS

This year, treat your family to earlier vegetables by starting your garden with our Specially Selected Plants. These are big, healthy, strong plants that will grow and thrive, and produce abundantly the vitamin-rich, healthful vegetables everyone craves and needs.

We can supply you with most every type of thriving vegetable plant ready to set out. They are all husky specimens . . . hardy and full of growth. This year, have earlier and more vegetables by setting out PLANTS.

EVERETT SEED COMPANY
ATLANTA, GEORGIA

179 BEST VEGETABLE SEEDS



In Packets Or in Bulk
 We offer fresh seeds, in handy small packets, or weighed out for you in bulk, as you prefer. Ask for prices on large bulk lots.

...selected for RESULTS in your garden

From among all the thousands of available varieties, we have selected those which will produce the best quality and the greatest yields in the gardens of our territory. Lengthening this list would serve no really useful purpose, but would only complicate your garden planning. So we offer you this compact selection as a safe, sound base for your plans.

ASPARAGUS

In Spring sow sparsely in drills 12" apart. Thin approximately an inch apart. Transplant roots to permanent bed which has been generously dressed with stable manure and a good commercial fertilizer. Make rows 4' to 6' apart. For a 15'x20' bed you need 100 roots.

Mary Washington (fr)—The best of several rust-resistant strains recently developed. Large, firm shoots. Green with purple tops. Very fine flavor.

BEANS

Green Podded, Dwarf or Bush

Sow in rows 2½' to 3½' apart. Plant seed 1½" to 2" deep and 3 to 4" apart. Keep cultivated until plants blossom. (DO NOT CULTIVATE when blossoms are at prime or when plants are wet with dew. Keep vines picked to insure a longer bearing period.)

Black Valentine Stringless—Hardy, early maturing, very productive. Pods, dark green, 6-6½ in. long, brittle, smooth, stringless. Seeds black. 51 days.

Bountiful (fr)—An early, heavy-yielding variety. The leading flat podded bean for market and home use. Flat, light-green, stringless, but slightly fibrous pods of finest quality. 49 days.

ALL OUR VEGETABLE SEEDS

10c PER PACKET

Unless Otherwise Noted

We feature money-saving prices for bulk quantities—and special quotations to market gardeners. (Prices subject to change without notice.)

Giant Stringless Green Pod (fr)—Large, sturdy plants. Meaty, round pods, brittle and strictly stringless at all stages. Medium green pods, oval, yellowish-brown seed. 54 days.

Tendergreen (fr)—Large, erect plants. Abundant, round, dark-green pods, strictly stringless and fleshy. Brown seeds blotched with light fawn. 54 days.

Tenderlong (fr)—Fine new variety, resembling Stringless Green Pod, but with taller, darker green plants, and slightly longer pods. Yields high percentage of fancy, smooth, trim, round pods, even under adverse conditions. Seed color like Stringless Green Pod, except with dull seed coat. 6½ in. long. 52 days.

Wax Podded, Dwarf or Bush

Improved Golden Wax—Small, erect plants, moderately productive. Straight, thick, flat pods, creamy yellow and stringless. 51 days.

Sure Crop—Also called Bountiful Wax. Golden yellow pods 6 to 7-in. long. Stringless, fine quality. 55 days.

Beans, Pole

In warm ground, set poles 4' to 8' long slanting a bit to the north in rows 4' apart. (Extending north and south the poles will be 3' apart in the row.) Plant 5 to 8 beans about 1" deep around each pole. When growth is sufficient thin to the four strongest plants.

For varieties not listed CONSULT US!

You'll find a hand-picked list of vegetable seed varieties offered on these pages. They are the kinds we know from experience are the most suited to home gardening.

Of course, you'll find many longer lists than we've given you here. But out of the many thousands of varieties available, we've simply chosen the best of the lot for quality, yield, and your own gardening needs.

If there should be some varieties you want, and can't find listed in this book...ask us about them.

We can either supply what you want...or get it for you.

Genuine Cornfield (Striped Creaseback)—Vigorous-growing, prolific. Pods round, straight, light green; fleshy, tender, but somewhat stringy. 71 days.

Ideal Market or Black Valentine Pole—Earliest pole bean. Plant hardy, good climber. Pods round, silvery green, brittle, tender, stringless when young.

Kentucky Wonder (fr)—Strong climber, hardy, long-bearing. Curved, almost round pods. Slightly stringy, but brittle and fibreless. Meaty. 65 days.

McCaslan—Dry shelled or snap, good climber. Medium green thick, flat pods. Meaty, stringless and tender. 65 days.

Stringless Black Creaseback.

Lima, Dwarf or Bush

Plant in dry, warm ground. Make rows 2' apart and drop beans 6" apart in row. Cover with 1" of soil. Can also be planted in hills, 3' apart one way and 2' apart the other way. Use 4 to 6 beans per hill.

Baby Potato (fr)—1940 All-America. Small, thick-seeded butter bean with real flavor, early maturity and prolific growth. 12 to 16-in. tall.

Fordhook Bush (fr)—Straight pods with plump, large beans of excellent quality.

Henderson's Bush (fr)—Known as Baby Lima or Butter Bean. Plants small, early and bushy. 65 days. Good for home gardener; very productive.



THE OLD GARDENER

Reminds You

Play safe! Buy seed from seedsmen only

Can you think of anything money can buy, that's quite such a bargain as SEED?

What else gives you so much — for so little?

Seed isn't mere merchandise. It's a miracle, wrapped up in a package! Is it worth while, then, TO GAMBLE WITH THIS MIRACLE? Is it wise to buy any but the very finest seed?

Wise gardeners say, "Play safe! Buy your garden seed from the man who knows it best — THE SEEDSMAN!"

BEANS, Continued

Jackson Wonder (Speckled Bush)—Pods medium size with 4 to 5 thick, large beans. Drought resistant and very prolific. Dry beans mottled in color. 66 days.

Lima, Pole

Follow same plan as for other pole beans but plant seed two weeks later.

Florida Butter Bean—Dependable, popular, prolific. 78 days.

Sieva, Carolina or Small White—Plant 10 to 12-ft. tall, and bears over a long season. Medium green pods with 3 to 4 beans of excellent quality. 77 days.



Soy (Edible)—Plants are extremely productive, vigorous and upright. Beans may be used green or dry. 95 to 110 days.

BEETS

Deep, rich sandy loam produces finest beets. As soon as ground can be worked sow in drills 18" apart and press soil firmly over seed. Later thin out to 3" or 4" in rows. Plant in succession to have tender greens when roots are pulled.

Crosby's Egyptian (fr)—Widely grown for early beets. Flattened globe shaped roots with small tap root. Excellent quality, tender and sweet. 60 days.

Detroit Dark Red (fr)—Standard of excellence in table beets. Smooth,

globular roots of deep ox-blood red—sweet and tender. 68 days.

Early Blood Turnip—Medium early. Tops medium, somewhat coarse. Bright red. 65 to 70 days.

Early Wonder—Early variety. Semi-globular, tender, blood-red. 58 days.

Stock Beets or Mangel Wurzel—See Mangel Wurzel.

BROCCOLI

Plant and cultivate like cabbage and cauliflower.

Italian Green Sprouting (fr)—Plant bears a succession of sprouting heads about 5-in. long, which, if kept cut, will be replaced by others for 8 to 10 weeks. 55 to 65 days.

BRUSSELS SPROUTS

Cultivate same as cabbage. As sprouts begin to form remove lower leaves so that all nourishments sent to lower stem will be forced into the sprouts.

Dwarf Improved—Firm, thick-set tender heads. Easily grown. Early, dependable.

CHINESE CABBAGE

An easily raised succession crop. Set out in rows which have been occupied by earlier vegetables.

Chihili or Improved Pekin—Dependable, early heading. The most popular variety. Solid tapered heads, 3 to 4-in. thick, 18 to 20-in. long. 75 days.

CABBAGE

Sow seed in drills 6" apart across the bed, dropping the seed 5 to 6 to the inch. Firm soil after covering, then water thoroughly. Keep beds moist but not soaking wet. Seed germinates 3 to 8 days depending on temperature. Transplant to open ground when plants have made fourth pair of leaves.

Standard Early Varieties

Charleston or Large Wakefield—Heart-shaped heads nearly a week later than Jersey Wakefield and half again as large. 7 to 8-in. long. 70 to 75 days.

Copenhagen Market—Excellent, early short season type. Short stems, 6½-in., 3½ to 4-lb. heads. Solid, round and of good quality with few outer leaves, stems short. 65 to 70 days.

Golden Acre—Extra early Copenhagen type. Dwarf plants, small round solid, 6-in., 3-lb. heads. Globular in shape

All Vegetable Seeds
10¢ PER PACKET
UNLESS OTHERWISE NOTED

In bulk at money-saving prices.
Special quotations to market gardeners.
Prices subject to change without notice.

and with attractive smooth leaves. May be set close together. 63 to 65 days.

Jersey Wakefield—Early, with small conical heads, 7-in. long, short stems, 5-in., 2 to 2½-lb. heads. 64 days.

Intermediate Varieties

Early Flat Dutch—Good second early variety. Plants medium. Very vigorous. Large, flat solid heads 6-in. deep, 11 to 12-in. in diameter, 11 to 12-lb. 90 days.

Marion Market—Large, firm, round heads, used for early kraut. A development from Copenhagen Market. 7-in., 4-lb. heads. 75 to 80 days.

Late or Winter Varieties

Ferry's Hollander—Medium sized round heads. Firm and solid. Wonderful quality. Best variety for home gardeners to plant for winter storage. 100 days.

Savoy—Large, flat heads with dark green, crinkled leaves. Flavor is mild and appetizing. 6 to 7 lbs. 90 days.

All vegetables marked "fr"
are especially suited
for freezing

If you have a home freezer, or a neighborhood locker plant near by . . . keep that fact in mind when you plan your vegetable garden this year! Freezing keeps the bright color, fresh flavor, and precious vitamins of just-picked vegetables . . . and you'll want plenty on hand for healthy, thrifty year-round eating.

We've indicated the best varieties for freezing by the symbol "fr" after the variety name. But you're not necessarily limited to these. Almost any vegetable frozen when young and succulent is generally good . . . except those served for crispness, such as lettuce, celery, radishes, etc. Whole tomatoes, and vegetables with high starch content are not recommended for freezing.

Freeze only the best quality vegetables! Wash and sort them carefully . . . discarding any that are overripe, bruised or show signs of decay. Process quickly according to tested directions. Pack and seal in leak-proof cartons.

Properly prepared and frozen vegetables stay good for as long as eight months to a year.




THE OLD GARDENER reminds you

Yes, beans are a mighty important crop, for most of us. They're worth a little extra care. There's inoculation, for instance. Certain bacteria that

live on the roots help the bean plant pull nitrogen out of the air and "fix" it so the plant can use it for food. By inoculating the bean seed before you plant, you can help them grow into big and husky plants that keep on producing longer.

It's easy to plant bean seeds too deep; the seeds look robust and there's a temptation to pile dirt on top of them.



Don't do it; in early spring when the soil is moist, half an inch is enough. In summer (and remember that you can make a succession planting every three weeks) an inch of covering is enough.

Beans can be kept going a long time by picking clean, but you'll get more beans

per square foot by making several small plantings spaced 3 weeks apart.

The beans illustrated here (to give you an exact comparison of their sizes) are—1—Improved Golden Wax; 2—Giant Stringless; 3—Tendergreen; 4—Bountiful; 5—Kentucky Wonder; 6—Henderson's Bush Lima and 7—Fordhook Bush Lima.

HOW? WHEN? WHERE? WHY?

Practical answers to every-day questions about home gardening

This is a seed catalog you can keep on using long after you've bought and planted your seed!

It is jammed with down-to-earth facts every gardener needs to know. Even old-timers will find help here. You'll find most of these facts grouped under the heading "How? When? Where? Why?" Read them carefully, keep them handy—and use them all through the year.

Location, soil and layout of the vegetable garden may be fixed by the land you have. You can, however, improve many things about that land if you have two basic requirements: (1) at least 6 hours of sunshine daily and (2) reasonably good soil, free from tree roots, subsoil and rubbish fill.

Is your soil right?

Heavy clay should be broken up by using compost, manure, peat moss or other vegetable matter. Liming also helps. Stuff sandy soils with all the manure or other organic matter you can spare. Fertilizers, however, should be relied upon to feed crops for a good harvest (see page 34).

The high cost of guessing

Substitute headwork for arm and back-aches by making a simple plan on paper. This saves you seed—and other materials—and labor—because you plant only what you need. When you plant by guess usually you plant too much. You must take care of the extra planting until harvest time before you see it won't be needed. If you underestimate your needs, then you don't have the food you need. See Page 18.

New ideas on garden layout

D.D.T. for pest control promises to change the whole scheme of garden layout. We can now divide vegetables into two groups—one to be dusted with D.D.T. and the other to be left undusted. The D.D.T. plot should be on the lee side so that wind will not drift from it into those which should not be dusted.

This puts the following vegetables on the side away from the wind—bush and pole beans, limas, beets (unless you want to eat the thinnings as greens), carrots, sweet corn, eggplant, okra, onions, parsnips, peas, peppers, radishes, tomatoes and turnips (again, only if you don't eat the greens).

Facing the wind should be the vegetables not to be dusted, including Brussels sprouts, cauliflower, Chinese cabbage, collards, cucumber, endive, kale, kohlrabi, lettuce, muskmelon, parsley, pumpkin, rhubarb, spinach, squash, Swiss chard and watermelon. In general, rows get better distribution of sunshine if they run north and south. If this arrangement isn't necessary, better put corn and other tall crops to the north of the shorter crops. Sweet corn should not be planted in one or two long rows, but in several short rows (see page 14).

Working your soil full time

Even if you have ample room, it will pay to consider intercropping, catch cropping and succession cropping. In intercropping, short season crops go between slower, growing plants that occupy the land all season. For instance, plant early lettuce between the tomato plants, and harvest it before the tomatoes need all the room.

In catch cropping we plant an early crop on land before the main crop goes in. In succession cropping the main crop comes first, as for instance a crop of snap beans to be followed by late turnips. These tricks use space efficiently and also reduce the number of rows we have to plant. Too, in this way, we can broadcast fertilizer before plowing or digging rather than applying it along the row when the plants are partially grown.

Don't plant in wet ground. No soil is right for gardening that can't pass the "mud pie" test. To make a mud pie test, pick up a handful of soil and squeeze it slightly. If it balls or packs, it is too wet to work.

Don't apply lime unless it is really needed. Usually a soil that will grow good beets is all right. If beets do poorly and grow irregularly, you can add about 50 lbs. of hydrated lime or 100 lbs. of ground limestone to each 1,000 square feet of garden. If you have a pH tester, most flowers and vegetables will do well in a soil between 6.0 and 7.0.



BEANS, Fordhook Bush Lima



CORN, Golden Cross Bantam (Top)
Iona (Center)
Stowell's Evergreen (Bottom)




BEANS, Tendergreen



BEANS, Plentiful



BROCCOLI, Italian Green Sprouting



CUCUMBERS, Marketer (Top)
Straight Eight (Bottom)

CABBAGE, Continued

Red Varieties

Mammoth Red Rock—Best of the red cabbages. Hard, round purplish-red heads. Good keeper, 6 to 8-in., 7 to 8-lb. heads. 100 days.

CARROTS

Use sandy loam enriched my manure the previous year, if possible; but any good land if deeply and well worked will produce a good crop. Sow seed as early as ground can be worked. Sow seed 1/2" to 1" deep in drills 16" to 18" apart. Press soil firmly above seed. When plants appear use cultivator or wheel hoe and thin from 2" to 6" apart, according to type. Keep cultivated.

Chantenay, Red Cored (fr)—Root has thick shoulder and tapers to slight stump root, 5-in. long. Red cored. 70 days.

Danvers Half Long—Sweet, tender roots, 6 to 7-in. long tapering to a blunt point. Fine for storing. 75 days.

Imperator (fr)—Fine-grained, tender. Rich orange, indistinct core. Roots smooth, tapered to semi-blunt. 77 days.

Long Orange—Heavy cropper. Roots taper to a point. Red-orange flesh, core slightly lighter. 88 days.

CAULIFLOWER

Needs rich soil and abundant watering. Cultivate same as cabbage but protect heads from sunlight to insure the prized white curd. This is done by gathering leaves together loosely as soon as heads begin forming, and tying them at the top.

Snowball (fr)—Favorite early variety. Pure white compact heads of fine flavor, 6 to 7-in. 55 days. Pkt. 25c.

CELERY

Sow late spring for fall maturity. Have shaded beds and cover seed 1/4". Transplant when 6" high. Keep soil well fertilized and moist. Crop matures in cool weather of autumn.

Golden Self Blanching—Compact plants with yellowish-green foliage. Broad solid stalks, nutty flavor. Blanches readily. 120 days.

COLLARD

Sow seed heavily and transplant when 4" high; or sow in rows in permanent beds and thin to 16" to 18" apart when plants are well started.

Cabbage Collard—Combines qualities of cabbage and collard, but finer flavored than either.

Southern or Georgia—An excellent cooked green. Long stemmed plant, with clustered leaves. Withstands heat and bad soil. 24 to 36 days.


SWEET CORN

Rows should be 3' to 4' apart and sow seed 12" to 18" apart in rows or hills, covering with fine soil 1" to 2" deep firmly pressed down. In hills, plant 4 to 6 grains per hill. Later thin to 2 to 3 stalks to a hill. Space several plantings at intervals of 14 days for continuous crop. (Plant sweet corn alone in first crop.)

Country Gentleman or Shoe Peg (fr)—Prolific late variety. Favored by canners. Irregular kernels, very deep, slender, sweet. 93 days.

Golden Bantam—The best and most favorably known of all the yellow varieties. Stalks often have 2 ears. Ears 8 rowed, kernels broad, with tender hull, sweet and of fine flavor. 80 days.

Golden Cross Hybrid (fr)—Extremely uniform. Ears 10 to 14 rows, slightly lighter yellow than Golden Bantam. Highly resistant to Stewart's disease. 85 days.



Ioana Hybrid (fr)—1940 All-America. Ears 7 1/2 to 8-in., well filled with 12 or 14 rows of deep, medium narrow, light yellow kernels. Highly resistant to drought and bacterial wilt. 87 days.

Stowell's Evergreen—White. Large ears about 8-in. long; big kernels, very sweet. Good late varieties; 93 days.

Tendergold—This hybrid was developed as a high quality second-early yellow hybrid for canners. Ears are

cylindrical to slightly tapering, 7 to 8-in. long. Golden Bantam type. 80 days.

ROASTING EAR CORN

Adams Improved or Large Early—Large-eared roasting variety, earlier than Trucker's Favorite, 12 to 14 rowed. Kernels white and tender when young. 70 to 73 days.

Trucker's Favorite—Extensively used for roasting ears and shipping. Ears 12 to 16 rowed. Kernels white, fairly tender, and moderately sweet. 70 to 75 days. Plant early or late.

POP CORN

Yellow Dynamite—Rich, creamy yellow, smooth and round kernels, which pop double size of others. Ears 8 to 9-in. long. Vigorous grower. 115 days.

CUCUMBER

Select soil fully exposed to sun and enrich thoroughly with fertilizer. Seeds should be planted not over 1' deep in hills from 3' to 5' apart each way. Sow 15 to 20 seeds to a hill. When plants crowd thin to 3 plants per hill. Frequent shallow cultivation necessary until runners appear.

A and C—A long dark green cucumber which merits a trial. Uniform, nearly cylindrical, well rounded at ends.

Cubit—Won Bronze Medal Award in 1944 All-American Selections. Dark green, white spine, cylindrical with blunt ends. Firm flesh and uniform coloring. New and worthwhile. 25c pkt.

Improved Long Green—Black spined. Weighs about 3 3/4-lbs. Best for slicing or pickling. Very hardy and disease resistant. 62 days.

Pickling—Largest of the pickling varieties, also good for slicing. 59 days.

Straight Eight, w.s.—Unsurpassed as slicing cucumber. All-American Selection. 2 1/2-lb. fruits rounded at ends, medium green. 68 days.

DILL

Better flavor and growth when planted in sandy soil which is thoroughly worked and well cultivated. Sow early as possible in drills 16" to 18" apart and press soil lightly over seed. Cut when blooming, wilt in sun and dry thoroughly in shade.

Long Island Mammoth—Used for flavoring. Seeds have strong, bitter flavor.

EGGPLANT

Sow in hotbed early in spring and transplant to cold frame when two rough leaves appear on plant. Set in open in warm weather but shade young plants from hot sun. Need frequent hoeing to keep soil loose.

Black Beauty (fr)—Large, egg-shaped, smooth, very dark purple fruits. Keep well. Plant bears 4 to 5 fruits. Early. 80 days.

Florida Highbush—Vigorous plant, tall and upright growth. Resists drought, blight and wet weather better than most other varieties. Cylindrical in shape. 85 days.

THE OLD GARDENER reminds you

Carrots are mighty useful vegetables. Use them fresh out of the garden—especially the finger-sized thinnings that commercial growers throw away, but that are the choicest morsels of flavor the garden produces. Or can or freeze them. For using fresh, for canning or freezing, use Chantenay Red Cored or Nantes Improved Coreless.


These new coreless types have less fiber, taste sweeter. For storing in the root cellar or outdoor barrel, you want something a little firmer, like Danvers



Half Long. On stiff clay, where the longer sorts "corkscrew" or "dogleg" as they try to grow into the unyielding soil, use Oxheart, a stumprooted type that will grow straight.

Plant your first carrots as soon as soil can be worked, using the coreless types. Plant your last batch sixty days before you expect killing frost. In between, plant every three weeks.

The carrots illustrated here, for comparison of actual sizes, are: 1—Chantenay; 2—Imperator; 3—Danvers Half Long; 4—Red Cored Chantenay; 5—Oxheart.



All Vegetable Seeds
10¢ PER PACKET
UNLESS OTHERWISE NOTED

In bulk at money-saving prices.
Special quotations to market gardeners.
Prices subject to change without notice.




**BEETS, Crosby's Egyptian (Center)
Early Wonder (Left)
Detroit Dark Red (Right)**



CABBAGE, Charleston Wakefield



**ONIONS, Yellow Globe Danvers
Southport White Globe**



LETTUCE, Bronze Beauty



CANTALOUPE, Hale's Best No. 45



EGG PLANT, Black Beauty

HOW? WHEN? WHERE? WHY?

Practical answers to every-day questions about home gardening

Make the most of your space

If your space is limited, better omit crops like peas, corn and potatoes that need lots of room. And go slow on crops that you can buy in equal quality on the market, like potatoes, late cabbage and winter squash. Instead, favor the delicately flavored vegetables like leaf lettuce, early cabbage, green beans and summer squash that can never be shipped without some loss of quality.

Spading vs. plowing

Before digging or plowing, spread 2½ to 3 lbs. of good mixed fertilizer over every 100 square feet of soil. Divide into two lots, broadcasting one with the wind and the other across the wind. Or use a fertilizer spreader if you have one; it insures uniform distribution.

Before you dig, make the mud pie test: pick up a handful of soil and pat it lightly into a mud pie or cake. If it can be crumbled into loose soil easily, the soil is all right to dig. If too wet, don't dig.

Now you are ready to dig. The right tool, unless you are accustomed to

something else, is the round-pointed long handled shovel. If there is any slope to your garden, start at the lower end, as the natural tendency is for soil to work down grade. Start by digging a trench the width and depth of a spade. Wheel soil from this trench to the far end where you plan to finish. As you dig, throw the earth from the succeeding rows into the trench made by the previous spade cut. The last trench is filled with the earth wheeled from the first. If you must plow, be sure the soil is right. Many good plots have been ruined by plowmen who insist on working when the soil was too wet. Before you decide on machine work, consider this: by working only an hour a day for five days, a man of average strength can dig a good-sized garden and leave the soil in better condition than the ordinary tractor job, worked with farm equipment usually too heavy for garden use.

Raking can be overdone

Most inexperienced gardeners spend too much time working the soil into a dust with a rake. Clods should be broken up and trash and stones removed within reasonable limits. But to crush every last lump into dust takes entirely too much time for the part-time gardener. If worked at the right "mud-pie" point, most lumps will break up in the cultivation that follows planting.

When you lay out the rows—

A cord stretched from a stake at either end of the row will serve as a

guide in opening a furrow. For smaller seeds, press the end of the hoe handle into the soil along the line to form a ½" deep furrow. Finer seeds can be planted in this furrow, covered with about ¼" of soil. In heavy clay it will pay to use a special covering mixture of either pure sand or half sand and half peat moss. Sifted compost can be substituted for the peat. Furrows two to three inches deep for peas and beans need not be filled at once. An inch of covering at the most is enough. Fill the trench with soil as the plants grow.

A hill is a hole


Much damage is done by following the advice, "Plant in hills." Actually, except where heavy rainfall may waterlog the soil, cucumbers, squash, melons and pumpkins should be planted in shallow depressions, several seeds spaced 2" apart. Vine crops appreciate all the well-rotted manure or compost you can dig into the soil.

THE OLD GARDENER reminds you

LETTUCE is the Number One salad crop. And the kind you can grow at home—really crisp, fresh leaf lettuce—is the lettuce every master chef sighs for and can't get. As soon as you can dig, plant a row of Black Seeded Simpson or Simpson's Early Curled.

Or if you prefer head lettuce, you can grow Big Boston, the butter-head full-flavored kind the market grower can't supply because it doesn't ship well.

Hot weather is hard on most head lettuce, but try Great Lakes—you'll be surprised how well it grows and how slowly it bolts to seed, and you'll be delighted



The lettuce varieties illustrated here are: 1—Prizehead; 2—Iceberg; 3—Romaine.

with its good crisphead flavor. Remember that lettuce is a fast-growing, rich feeding crop. Give it plenty of water. And use your compost or well-rotted manure liberally on the lettuce row. A light sprinkling of nitrate of soda will pay, too, because lettuce thrives on lots of nitrogen.



All Vegetable Seeds
10¢ PER PACKET
UNLESS OTHERWISE NOTED

In bulk at money-saving prices.
Special quotations to market gardeners.
Prices subject to change without notice.

MELONS

Plant in rich soil (sandy loam preferred) after frost danger is past. Sow 10 to 12 seeds in hills spaced from 4' to 6' apart. Cover with about 1" of fine soil, well pressed down. When plants start crowding thin to 4 of the most vigorous in each hill. Shallow but cultivate until runners appear.



Muskmelon and Cantaloupe

Banana—Fruits smooth and slender, 20 inches long and 4 inches thick, resembling a banana. Flesh salmon color, with banana-like flavor. 90 days.

Hale's Best, No. 36—Improved. Early, uniform, oval, light ribbed, heavily netted. Thick, salmon flesh. 80 days.

Hearts of Gold—Nearly round fruit, weight 2 pounds. Distinctly ribbed, deep green with fine grey netting. Thick flesh, deep salmon in color, tender and sweet. 94 days.

Honey Dew—The well-known green-fleshed melon for warm climates. Smooth, ivory colored skin. Flesh is sweet and juicy. 112 days.

Improved Perfecto—Roundish fruit, weight 2½ lbs. No ribs. Completely covered with hard grey netting. Flesh is thick and salmon colored, sweet and juicy. 90 days.

Rocky Ford, Golden Lined—Fruits, small, with rather large seed cavity. Nearly round, weight 2½ lbs. No ribs. Heavily covered with hard grey netting. Flesh thick, green with gold tinge at center. Very juicy and spicy. Excellent quality. 92 days.

Texas Resistant Number 1—New mildew and aphid resistant melon. Rich salmon-colored, firm flesh, sweet and slightly musky-flavored. Small seed cavity, with few compact seeds. Moderate netting, firm rind. 4½ to 5½ in. diameter. Very prolific.

ENDIVE

For late spring and summer crop sow seed in open ground during early spring. For late fall, sow in early to middle autumn. Plant in shallow drills 18" apart and thin plants later to a foot apart. To blanch, tie outer leaves together over center when plant is nearly grown.

Deep Heart Fringed—All-America Silver Medal, 1940. An entirely new type of endive. Leaf margins deeply cut and curled. Instead of lying flat on the ground, outer leaves turn upward, making this variety less susceptible to bottom rot than most others. Well-fitted hearts, closely packed with abundance of fine leaves, blanch to clear creamy yellow. 70 days.

Green Curled Ruffec—Plants 16 to 18-in. in diameter. Fine fall variety. White, tender, fleshy. 95 days.

KALE OR BORECOLE

Early fall or spring sowing. Either in rows or broadcast. To produce large plants, have rows 2' apart and thin to 2" in rows.

Early Curled Siberian (Sprouts)—A vigorous growing variety of low spreading habit. Grayish green leaves which are only slightly curled at edges. Extremely hardy.

KOHLRABI

Sow seed in early spring or fall and when well established thin to 6" apart in the row. Even better to start it in beds and transplant same as cabbage. And planting at intervals of 10 days gives tender bulbs until hot weather.

Early Vienna (fr)—8 to 10-in. leaves on slender stems. Bulbs 2 to 3-in., globular, light green. Crisp, tender, clear white flesh. 55 to 60 days.

LETTUCE

Keep lettuce growing rapidly for best results. A light, rich soil needed for this. Earliest varieties must be started from seed in cold-frame. As soon as open ground can be worked transplant. For later use, sow seed in open ground as soon as weather is favorable. Keep rows 12" to 18" apart. Thin plants in rows 4" to 8" depending on variety.

Heading or Cabbage

Big Boston—Popular for cold frame forcing and outside culture. Medium, compact heads with creamy yellow heart. Smooth, glossy leaves, edges wavy, and slightly tinged with reddish brown. 75 days.

Great Lakes—Bronze Medal, 1944, A.A.S. Iceberg type lettuce newly developed. Large, solid heads resistant to heat and sun. 25c per pkt.

Imperial No. 44 (Improved Iceberg)—A sure leader even during dry hot weather. Heads medium large, slightly flattened, extremely compact. 82 days.

Imperial No. 847 (Florida Iceberg)—Heads are of good size and solid. Does well in hot weather and is resistant to tip burn. Very hardy. 83 days.

New York—Large heads, well blanched, sweet, tender. 80 days.

Loose Leaf Varieties

Black Seeded Simpson—Light green, frilled and crumpled. 45 days.

Chicken—Produces largest amount of leaves of any lettuce. Fast-growing. For poultry and rabbit feeding. 40 days.

Simpson's Early Curled—Hardy and dependable. Non-heading. Leaves large frilled crumpled, light green; form a compact bunch at center. 45 days.

Cos or Romaine

White Paris or Trianon—Medium large self-folding, dark green leaf shaped heads. Greenish-white, well blanched interior. 66 days.

MANGEL WURZEL

Sow seeds in early fall and spring in rows 2½ to 3' apart. Later thin to 10" apart.

Mammoth Long Red—Very popular, 30 to 50 tons per acre. Roots grow half above the ground. Light red, flesh white with rose tinge. 110 days.

Watermelon

Plant 10 or 12 seeds to hills spaced 6' apart. Soil must be fertilized or worked thoroughly with well rotted manure. Sow seeds in warm, dry soil as watermelon plants are sensitive to cold and wet. Thin to 2 or 3 of the hardiest plants in each hill when plants have formed the first rough leaves. Frequent watering with liquid manure will hasten growth and diminish danger of insect pests.

Dixie Queen—Very prolific. Bright red, crisp, splendid quality fibreless flesh. Very few small, white seeds. 85 days.

Florida Favorite—Oblong shaped. Dark green rind with light green stripes. Bright red and very sweet. 85 days.

Florida Giant—A huge melon, growing sometimes to weight of 100 lbs. Oval-round with blunt ends, it has dark green skin and thick, tough rind. Flesh is of excellent quality, firm and red. 90 days.

Stone Mountain—Also called Dixie Belle. High quality shipping variety. Fruits very large, oval-round, blunt ends. Dark green, tough rind. Flesh rich scarlet, fine grained, sweet. Seed white with black tips. 90 days.

Tom Watson—Red heart strain. Large fruit, uniform cylindrical, with tough, elastic rind, faintly veined. 90 days.

Wondermelon or Kleckley's Sweet—Large, cylindrical, slightly ribbed fruits. Deep red, juicy, sweet flesh. 85 days.

Sow as early as possible in the spring. Keep rows 6" to 12" apart and cover with soil 1/2" deep. You may also sow seed in autumn to raise greens and for salads.

Florida Broad Leaf—Vigorous, upright plants. Leaves large, broad and deep green; quick grower. 43 days.

Chinese Broadleaf—Large, oblong, slightly crumpled leaves, scalloped at edges. Medium green, vigorous plants. 45 days.


Mustard Spinach or Tendergreen—Wholesome, quick-growing green, combining mustard and spinach flavors. 28 days.

Southern Giant Curled—Large, frilled and crumpled. Light green leaves. 35 days.

OKRA OR GUMBO

Sow in rows about 3' apart after any danger of frost is past. Cover seeds with about 1" of fine soil firmly pressed down. Thin plants 18" to 24" apart when they reach 3" growth.

Clemson Spineless—All-America Silver Medal Award for 1939. Pods are rich green, straight, uniform, ridged and of best quality. 56 days.



Dwarf Green—Early, prolific dwarf growing sort. Dark green fluted, 5 to 7-in. pointed pods. Most desirable, compact growing okra. 50 days.

Perkin's Mammoth Long Green—Early and prolific. Very tender, long pods. Deep green and slightly corrugated. 68 days.

White Velvet—Early and prolific. Pods pale greenish-white, 6 to 7-in. long. Meaty, tender. Strong, tall-growing, 3 1/2 feet in height. 62 days.

ONIONS

Sow in well pulverized, rich soil. Make level rows 18" to 24" apart and cover seeds about 1/2" deep. After plants are well up, keep thoroughly cultivated and well weeded. When large enough thin to 3" apart.

Yellow Varieties

Pризetaker—Large, globe shaped, with glossy, thin straw-colored skin. Coarse, mild flesh. Sometimes weigh as much as 4 lbs. each. 102 to 104 days.

HOW? WHEN? WHERE? WHY?

Transplanting vs. Direct Seeding

Some assume a special virtue for transplanting, which is supposed to give the seedling superior vigor. Actually, transplanting is an operation from which the seedling must recover before it can begin to grow again. If there is ever any question between direct seeding or transplanting, direct seeding should always get first choice if there is still time to grow a crop.

Starting seedlings indoors

Don't begin too soon. For most plants, flowers and vegetables alike, 5 to 6 weeks is soon enough before transplanting to begin. Light in the average home is too feeble for good growth unless flats are grown in a window that gets at least 6 hours of direct sunshine daily. Fill shallow boxes (called flats) with mixture of 1/3 good garden soil, 1/3 clean sand and 1/3 compost or leaf mould. Make very shallow rows or drills with the edge of a ruler, 3" apart. Sow seeds in these 1" apart. For most plants temperature of 70° is best.

Soil must never dry out, yet must not be saturated. Spray with atomizer if possible two or three times daily. When best seedlings can be selected, thin out to stand 2" to 3" apart. Before transplanting, withhold water for 3 to 4 days. When set out in perma-

nent position, water freely and seedlings should start growing again without severe check. Always try to save as many roots as possible.

Set firmly by pressing on both sides of stem. If soil is not firmed around roots, seedling may be killed when "hung" with space under it.

As soon as garden has been planted, water thoroughly but gently to avoid formation of crust. If crust forms, break by working gently on either side of planted row. In the case of slow-germinating, delicate seedlings like carrots, it pays to mix a few radish seeds with them so these quick-germinating seedlings will break thru and mark the row. Otherwise you may have to delay cultivation until too late for good weed control.

Weeding vs. weed control

In soils in good tilthy condition, the main purpose of cultivation is to destroy weeds. Weeds are harmful because they shade desirable plants, because they rob them of food, and because they use up soil moisture.

Annual weeds are usually easy to kill if we can keep them from seeding. Deep-rooted perennial weeds like bindweed, Canada thistle and quack grass, however, are another problem. The simplest way to control these is to take the soil out of cultivation and destroy them with a 2,4D weed killer. If this isn't feasible, the only other control is to cut off the tops every

Practical answers to every-day questions about home gardening

two weeks, no sooner and no later. If cut sooner, they do not use up their stored starch reserve. If cut later, they recover some of this reserve.

In lighter soils it is sometimes possible to dig out the roots, but every last piece must be found and destroyed or it will re-infest the entire garden.

The right conditions for a successful indoor start are not difficult to achieve. Any gardener can do the trick by applying a reasonable amount of care and attention.

Use a box three inches deep and of any suitable size. Space the bottom boards about an eighth of an inch apart to provide drainage. Sift soil and use the coarser part in the bottom, with an inch of fine soil on top. Press around edges of box with a brick or board to firm the soil. Add more sifted soil and draw the straight edge of a lath or ruler across the top to level.

Press furrows about one-quarter of an inch deep into the soil, the furrows spaced about 2" apart. Plant seeds 3/4" apart to allow room to lift each seedling without disturbing the rest. After seeding, fill furrow with clean sand or sifted soil and press down soil over entire box until it is 1/2" below upper edge.

WHEN TO SOW

Seed catalogs and garden books usually offer you a list of definite planting dates. We'd like to do this, too, but experience has taught us that such dates are often dangerous. Weather variations from year to year are likely to make the most carefully compiled dates look foolish.

Here's a guide to planting time that doesn't rely on dates, but rather on Nature's own signs.

FULLY HARDY CROPS: Sow as soon as the ground can be worked in spring, or when the farmer plants oats. In some years crocuses and snowdrops may be in bloom at this time, but if the ground is ready sooner, plant anyway. These crops include lettuce, cabbage, broccoli, carrots, cauliflower, kale, kohlrabi, parsnips, radishes, rutabagas, spinach and turnips. Also round-seeded peas.

HARDY CROPS: When the daffodils and earliest tulips bloom, or when maple trees are in full flower, plant these: Beets, wrinkled peas, Swiss

chard, and onion sets.

TENDER CROPS: When the Lilacs, Darwin Tulips and Apple Blossoms are in full bloom, plant these: Bush beans, sweet corn, pumpkins, and squash are included.

TROPICAL CROPS: When the petals on apple blossoms will have fallen and the tall late irises are in full bloom plant: Okra, Lima beans, Pole beans, muskmelons and cucumbers, and set out plants of tomatoes, peppers and eggplant. These can't stand frost and should not be planted until the weather is warm and settled.

Mulching—Why and How

A secondary purpose of cultivation is to form a dust mulch and help check evaporation from the surface. In many gardens a more substantial mulch will do better work and also cut down weeding. Any clean vegetable matter such as lawn clippings, chopped or whole hay, ground corn cobs, peat, etc., can be used. Vermiculite, a mineral product used as insulation and as poultry litter, has proved a valuable mulch because in processing it is heated to over 2,000 degrees, which destroys all life and active chemicals. Also, it has high waterholding capacity.

Apply these mulches when ground is still moist. If applied after soil dries out, light summer rains may not be able to penetrate them and maintain soil moisture. Remember, a mulch does not stop the use of water by the plants; it merely slows up evaporation from the soil itself.

Do you IRRIGATE your garden?

In speaking of renewing soil moisture, irrigation is actually a better word than watering, because it means long, slow penetration rather than surface sprinkling.

Whether water is added thru overhead sprinklers or a hose flowing onto a board to prevent washing the soil, it should always be supplied so freely that the soil is saturated to a depth of several inches.

If applied in this way, most gardens need watering less than once a week. Less water is used than in a daily sprinkling, since sprinkling usually wastes a great deal of water thru evaporation. Deep irrigation is valuable because it keeps the roots growing downwards, where they are cool and moist rather than growing near the surface where the heat of summer can injure them.

How to plant fine seed

In planting fine seed, tear off one corner of the packet and, if Rootone is used, drop in a pinch and shake. The seed can be tapped out of the torn corner of the packet one at a time. Fine seed is often mixed with dry sand so that it will spread out better, but this will only work if seed is not more than twice the size of the sand grains.




RADISH, Scarlet Globe



TURNIP, Purple-Top White Globe



CABBAGE, Early Jersey Wakefield



ASPARAGUS, Mary Washington



ONIONS, Prizetaker

THE GIST OF THE STORY

for Vegetable Gardeners

There's no end to the science of vegetable gardening—nor to the books that have been written about this fascinating subject. But if you haven't the time to read all the books, then try the brief paragraphs that follow. Here are the fundamental facts—the things every vegetable gardener should know—AND DO!

ASPARAGUS

Soak seed 24 hrs. before planting. Sow in loose, rich, moist soil after danger from frost is past. Thin to stand 6" apart. In early spring, set in permanent position, 24" apart, in rows 36" apart. Set in hole so that crown is 8" below surface, but only cover tips with 3" of soil. As plants grow, fill in until level. Don't cut 1st year after setting.

BEETS

Each "seed" is a fruit with several true seeds. No matter how thinly beets are sown, they will need thinning. Plant as soon as ground can be worked in spring, thin gradually (use thinnings as greens) until roots stand 4" apart. Make three sowings, one early, one three weeks later and one 60 days before frost is expected.

BRUSSELS SPROUTS

Grow like late cabbage, but don't use until after heads have been frosted.

BROCCOLI

Start plants indoors 5 wks. before last frost. Set out 12" x 24". Broccoli heads must be harvested before they bloom: they are inedible after yellow flowers appear. Direct-seed for late crop 60 days before frost is expected.

Special Directions for Controlling Insects in Cauliflower, Broccoli and Brussels Sprouts

Use Rotenone dust or spray. It must hit insects directly, so drive them out of inner head by dusting or spraying with light dose of Rotenone. Allow plant to stand for 10 minutes, then go back over the same row with a heavy dose of Rotenone. By this time the worms will be out on the surface and are sure to be killed. Repeat every 10 days.

BRUSSELS SPROUTS

Follow directions for late cabbage.

EARLY CABBAGE

Start plants inside (see above). Set out 12" x 24" as soon as frost danger is past. Dusting with D.D.T. is safe if outer leaves are discarded, since plant grows from the inside out.

LATE CABBAGE

Direct-seed four months before frost is expected, thinning to 24" x 36". Or start plant indoors (see above) 30 days before needed, transplanting outdoors 90 days be-

fore frost. Don't water freely when heads are nearly filled, as this promotes splitting; irrigate only enough to keep plants growing well.

CELERY

Start in hotbed 60 days before needed. In setting outdoors, don't get soil in or over crown. Set 7" to 12" apart. Soil must be rich, moist and loose. As soon as plants have grown to 14" to 15" tall, set 12" boards on both sides of row and hold in place with earth. Or 4" drain tile can be used to blanch individual stalks.

Celery must have warm, settled weather: if chilled, plants are likely to go to seed.

CHINESE CABBAGE

Must never be grown as a spring crop since it will only go to seed. Plant after June 15th, as days are getting shorter: then it will head. An excellent succession crop to follow early peas.

COLLARDS

Follow directions for early cabbage.

CUCUMBERS

Sandy soils with plenty of compost are best. Roots have difficulty on heavy soils. Plant 8 to 10 seeds in a hill (see above—A HILL IS A HOLE). When vine is 6" long, thin to three strongest plants. Keep fruits picked to promote continuous fruiting. If compost isn't available, feed with commercial fertilizers. Use plenty of moisture: cucumbers are 90% water.

EGGPLANT

Start seed indoors 8 weeks before plants are needed. Set out after apple blossoms have fallen and weather is warm and settled. Feed and water liberally as Eggplant needs to be kept growing rapidly to produce well. D.D.T. will control pests that until now made this a tricky crop to grow.

ENDIVE

Strictly a cool-weather crop: gets bitter at temperatures much above 80°. Plant very early and again in mid-July. Use last planting as late fall salad crop, and store surplus in cold frame or cellar by digging each plant with ball of soil. Space 12" apart in rows 18" apart. Feed liberally for bigger, crisper heads.

KALE

Grow like Brussels Sprouts.


(Continued on Page 15)



BEANS, Improved Golden Wax



TOMATO, Stokesdale



CUCUMBER, Early Fortune



SQUASH, Early Prolific Straightneck



ENDIVE, Deep Heart Fringed

ONIONS, Continued

Sweet Spanish—Large, globe-shaped, exceptionally mild and sweet—excellent for eating raw or boiled. Light yellow skin and pure white, firm, crisp, and tasty flesh. 112 days.

Yellow Bermuda—Very early, medium sized, flat. Thin loose skin. Flesh nearly white, mild and sweet. The most widely grown Bermuda Onion. 92-94 days.

Red Varieties

Red Creole—Grown largely in the South. Large, solid semi-globe of reddish hue and fine grain. Unexcelled for home garden. Good keeper.

Red Globe—Finest of all red onions. Perfectly round, good sized bulbs with thick, small necks. Skin is deep purplish-red. Strong flavored flesh, white tinged with pink. 112-114 days.

White Varieties

Crystal Wax Bermuda—Sometimes called White Bermuda. Bulbs flat, medium-sized, clear white. 92 to 94 days.

Ebenezer—Used mostly for growing sets. Bulbs flat, deep yellow, firm, thick skinned, about 2 or 3 inches in diameter. Keeps extremely well. Maturity 110 days.

White Portugal or Silverskin—Excellent flat variety. Dependable cropper, excellent for sets, for green bunching, or as a pickler. 100 to 102 days.

White Bunching

ONION SETS

Plant in rows 4 inches apart, half an inch deep and 12 to 14 inches between rows. Do not entirely cover the set. Cultivate often but not very deep.


The quickest way to get onions early. We offer choice, select, dry sets of highest quality. (Prices on application.)

WHITE RED YELLOW

PARSLEY

Sow in rows 12" apart. Thin to 4" apart.

Moss Curled or Triple Curled—Compact, dark green leaves, curled and fine-cut. 70 days.



EBENEZER

SOUTHPORT
Red Globe

WHITE PORTUGAL

PARSNIP

Needs rich, mellow soil for best growth. Sow in early spring and fall. Cover seed 1/2" and press soil down firmly. Thin to 3" to 4" apart when plants have made a good start.

Hollow Crown—The most generally grown kind. Roots 1/2 to 3-in. thick at shoulder. 12 to 14-in. long, uniformly tapered, hollow crowned. 95 days.

PEAS

Early peas need a light, warm soil; but general crop thrives best in moderately heavy soil. (Avoid fresh manure and very rich or wet, mucky soil as this produces large growth of vine at the cost of quality of the peas.) Plant seed in rows at 2" depth. Keep rows 21" to 28" apart for dwarf varieties and 28" to 42" for the taller types. Gather crop as fast as it is fit to use or new pods will cease to form and those partly advanced will cease growth.

Early and Second Variety

Alaska—Wilt resistant. Used for canning and early home garden. Blunt, straight, light-green, 3-in. pods. Plants 32-in. 60 days.

Laxtonian—Exceptionally choice and prolific. Dark green, rather coarse vines, producing straight pointed, well-filled 2 1/2-in. pods. 62 days.

Laxton's Progress—Medium dark green vine, 16 to 18-in. Single pods almost

an inch wide and 4 1/2 to 5-in. long, with 7 to 9 large peas. 62 days.

Little Marvel (fr)—Outstanding dwarf. Fine quality, large yield. Single and double, dark green, 3-in. pods—blunt, plump, well filled with 7 to 8 medium sized, light green tender peas. 62 days.

Thomas Laxton (fr)—Medium height. Strong vine bears numerous dark green, blunt ended pods, 4 to 4 1/2-in. One of earliest. 57 days.

White Marrowfat—Vines grow 5 feet tall. Pods plump, blunt, straight, light green, about 3-in. long. 81 days.

Peas—Later Variety

Everbearing—Long season, wilt resistant, marrowy peas. Pods plump, blunt, straight. 32-in. vine. 76 days.

Tall Telephone, Dark Podded—Mid-season favorite, high quality. 74 days.

PEPPERS

Sow seed early in hotbed and transplant in rows 18" to 30" apart when the plants are 3" high. Keep plants 15" apart in row. Frequent cultivation and weeding needed. (Do not plant hot peppers near sweet as they are apt to cross.)

California Wonder Improved—Number one quality peppers, about 4-in. long and 3 1/2-in. diameter, very smooth, 3 and 4 lobed, glossy green, turning bright crimson when ripe. Remarkably thick walls, tender, sweet. 75 days.

Long Red Cayenne—The hot favorite. For canning, pickling, drying. Pungent flavored fruit, tapering and twisted. 70 days.

Pimento—Excellent for canning or stuffing. Smooth, heart-shaped, very thick flesh. 73 days.

Red Chili—Low, spreading, 18-in. plant. Extremely pungent fruit. Erect, conical. 82 days.

World Beater—One of the best large peppers. Glossy-green, changes to bright red. Mild, very sweet, thick flesh. 75 days.

PUMPKIN

Plant in middle of spring among corn; or in hills 8' apart each way. Drop 4 seeds to a hill. If planted in hills, cultivate the same as melons and cucumbers. For winter use gather before frost (leave stem 3" to 4" long) and store in warm, dry place.

Kentucky Field or Large Cheese—Dull orange, large ribbed fruit. Coarse, deep yellow flesh, good flavor. 120 days.

THE OLD GARDENER says,

"Now, talking about corn, don't forget—

SWEET CORN is at its best if you will cook it less than an hour after you gather it. As soon as it's picked, the delicate sugars begin to turn to starch, and six hours after it's off the stalk, most of the true sugar flavor is gone. Which means that for most folks, if they want the true flavor of sweet corn, they just have to grow their own.

The new hybrid varieties are really wonderful — husky stalks that produce ample ears even when the open-pollinated sorts fail. But when you plant hybrid sweet corns, better grow more

than one variety because they pollinate better when several kinds of pollen are flying at the same time. And for best pollination, don't plant one or two long rows of corn down one side of the garden; instead, plant six or more short rows side by side. Remember, corn pollen is carried on the wind and the wind must hit all the stalks in the field or patch if they are to grow well-filled ears.

The sweet corns illustrated here are: 1—Golden Bantam; 2—Golden Cross Bantam; 3—Country Gentleman.



King of the Mammoth—Largest of all pumpkins. Valuable for stock feeding and exhibition. Globular, slightly ribbed, flattened, weigh 60 to 90-lb. Flesh solid, yellow-orange, coarse, but good quality. 120 days.

Small Sugar or New England Pie—Desirable for pie or general use. Round, flat end fruit, deep orange. Thick, yellow-orange flesh. 118 days.

Striped Cushaw—For stock feed. Crook-necked, 11-lb., white and green striped, thick, coarse yellow meat. 112 days.

RADISH

Rich, sandy soil needed. Sow in rows 12" to 18" apart and keep well watered. Plants must be thinned out to prevent crowding and quick growth is necessary for the best radishes. Sowings 1 week to 10 days apart will keep a supply.

Crimson Giant—Large round, 1 to 1½-in. Deep crimson roots. Very crisp and tender for its size. 28 days.

Early Scarlet Globe—Globular, slightly elongated, bright scarlet. 24 days.

Early Scarlet Turnip, White Tipped—Carmine red with white tip. Flesh white, crisp and mild. 26 days.

French Breakfast—Roots thicker toward bottom. 1½-in. long by ½ to ¾-in. Dull scarlet, white tipped. 25 days.

White Icicle—Tapering roots 5 to 5½-in., very white with pure white, mild flesh. 27 days.

Fall and Winter Varieties

Long Black Spanish—7 to 10-in. roots. Black skin, solid white flesh. Late and very hardy. 55 to 60 days.

Rose China Winter—Popular, very distinct winter sort. Good for late salads. Cylindrical blunt, smooth, bright rose-red. Flesh white, very firm and pungent. 52 days.

SALSIFY

Light, rich soil best and it must be stirred to a considerable depth. Sow in rows 18" apart. Cover seeds firmly with ½" of fine soil and thin plants later to 2" to 3" apart in the row. Cultivate the same as parsnips or carrots.

Mammoth Sandwich Island—A palatable and nutritious vegetable when cooked. Flavor is remarkably similar to oysters. 120 days.



1—China Rose Winter; 2—Long Black Spanish; 3—White Icicle; 4—Crimson Giant; 5—Early Scarlet Globe; 6—French Breakfast.

HOW? WHEN? WHERE? WHY?

(Continued from Page 13)

KOHLRABI

Wants rich soil. Plant early in spring 4" apart in row. Must be used when young: woody when old. Make 2nd planting 3 weeks later, and again after mid-July.

MUSKMELON

Plant 8 to 10 seeds to a hill (see above—A HILL IS A HOLE) after weather is warm. If grown in cool weather will not bear well and melons will have poor flavor. Melons love plenty of compost or well-rotted manure. When vines begin to run, thin to 3 plants to a hill. On heavy soil, Bender's Surprise or Hearts of Gold do better than others. In damp soil mulch with clean straw or raise each fruit on a shingle to keep from rotting.

OKRA

Plant on rich soil when weather is hot and settled, spaced 12" x 24". Pods mature rapidly and must be picked or they will be inedible.

Watering tomatoes calls for special care. Cracks and blossom "end rot" (the free or blossom end turning black) are both caused by fluctuating water supply. Never let tomatoes be dry one week and wet the next. Tomatoes must be kept either moist constantly or be grown in dry soil and not watered at all.

Permanent vegetable storage space, either in the basement or outdoors will help extend the usefulness of the garden. This can also be used to keep tulip and other spring-flowering bulbs over summer, and for storing tender flowering plants like tree roses over winter. Often a hillside can be used to advantage, allowing access on a level with the floor of the storage room. In planning outdoor storage, remember that convenient access from the house will often make the difference between using the stored vegetables or depending on those canned and stored in the basement.

ONIONS

Sets produce sooner than seeds. Set 1" apart and pull every other set for use as green onion. Again pull every other onion, leaving balance of sets to mature as dry onions.

From seed, onions have better flavor. Green onions can be grown in about 60 days from seed. Use thinnings for green onions, leaving 4" apart for globe types and 6" for the big Spanish types to mature for dry onions. Latter can also be started indoors for largest bulbs and can be set out 6" apart after frost danger has passed. All onions need liberal feeding and watering.

PARSLEY

Seed germinates slowly; soak over night. Sow early as seed germinates

Practical answers to every-day questions about home gardening

poorly in hot weather. Space plants 8" apart. Plain parsley has best true parsley flavor: curly sorts better for garnishing. If leaves are cut off when plant is 4" tall, curly sorts will have better curl.

PARSNIPS

Must be planted as early as ground can be worked. Soil must be loose to a depth of 12" and cannot be heavy. Space 5" apart. Frost turns starches into sugar and improves flavor. Roots are hardy: leave in ground over winter if desired.

PEAS

Plant variety Alaska as soon as ground can be dug. Plant wrinkled varieties (which have better flavor) when narcissus buds show color or when crocuses are in bloom. Peas are not satisfactory when weather turns hot. Tall varieties must be staked. Most home gardeners prefer dwarf varieties like Little Marvel. Peas want well-limed soil. Don't forget, inoculation improves production.

PEPPERS

Need long growing season: start indoors 8 weeks before plants are wanted. Set out after petals on apple blossoms have fallen. Set plants 15" x 24" and feed liberally for bigger fruits.

PUMPKINS

Follow muskmelon culture, or plant in corn after last cultivation.

(Continued on Page 16)



PEAS, Little Marvel (Top)
Early Thos. Laxton (Bottom)



PEPPER, California Wonder



SQUASH, Zucchini (Left)
Butternut (Right)



TOMATO, Marglobe



RADISHES, Icicle and French Breakfast



TOMATO, Rutgers

HOW? WHEN? WHERE? WHY?

Practical answers to every-day questions about home gardening

(Continued from Page 15)

RADISHES

As a rule the first crop to mature: plant as early as soil can be dug. Feed liberally for quick growth. Sow a 10 foot row every ten days until weather turns warm. Start planting again with the coming of cool weather in fall. The fall and winter types are sown in mid-summer to mature in fall for storage.

SPINACH

Seed in fall (protect with straw) or in very early spring. Must mature before hot weather. New Zealand spinach will grow in hot weather but must be seeded before soil gets warm. It can be picked all summer. Mixed with Swiss chard in cooking the flavor is like ordinary spinach.

SQUASH

Follow culture given for muskmelon for vine types. Grow bush types in rows, spaced 24" apart. Keep picked. Will bear all summer.

SWISS CHARD

Culture like that of beets. New leaves grow out as old are picked. Mix with New Zealand spinach if flavor is objectionable.

TURNIPS

Follow directions for radishes. Thinnings can be cooked for greens.

When it's time to harvest

The big advantage the home gardener has over the commercial grower is that he can pick his vegetables one minute and have them in the kitchen the next. All vegetables are better if left on the plant until ready to serve.

Sweet corn in particular loses sweetness every minute it is off the stalk. Pick only what vegetables you can use right away and not until you are ready to use them.

Most vegetables, particularly summer squash, sweet corn, cucumbers, carrots, beets, peas and string beans,

should be used much younger than usually harvested by the commercial grower. Learn the "feel" of an ear of corn that is ready to pick. The tip of the ear will feel full and the silks should be turning brown. Muskmelons do not get sweeter after picking. For full flavor leave them on the vine until a crack appears all around the point of attachment between the stem and melon. The free end should feel definitely soft when the melon is ready.

Best Vegetables for Storage

Beets, Carrots, Turnips, Winter Radishes—Do not wash. Pack in loose moist sand or fine moist soil. Store in unheated cellar, or in ventilated room away from heat.

Cabbage—Roughly trim heads, cut off roots. Store in temperature of 40 to 60°, with high humidity or cover heads with moist soil or sand.

Celery, Kale, Chinese Cabbage, Endive, Leeks—Store in trenches outdoors or in boxes of soil in basement. Outdoors must be covered with straw to prevent freezing.

Squash, Pumpkins—Harvest as they mature, leaving 3 or 4" of stem. Cure for a few days at 80 to 85°. Store in dry place.

Peas, Beans—May be picked off plants or the whole plant pulled and placed in dry airy place to cure. After thoroughly dried, shell, clean, sort and

store in jars or cans in cool, dry, dark place.

Onions—Pull as soon as most of the tops fall over. Place in racks or spread out on dry wooden floors—or hang in dry airy place. Store in dry well-ventilated place at a temperature just above freezing.


Parsnips, Salsify, Horseradish—Not injured by freezing, and may be left in the garden, or stored in moist soil or sand in cool building.

Potatoes—Should be kept in slatted bins for ventilation and left uncovered. Protect from strong light. Keep longer at 36 to 40°, but cook better if stored at higher temperature.

Sweet Potatoes—Dig as they mature or after first killing frost. Sort them as dug, and place in crates. Cure for two weeks at 80 to 85°F. before storing. Best storage temperature 50 to 55°.

SPINACH

Plant seed in very rich soil in rows spaced 14" to 18" apart. Keep plants thinned out from 3" to 6" apart in the row. (Seed may also be sown broadcast.) The main crop is sown in fall for winter use and spring for early use.



Bloomsdale Savoy, Long Standing (fr)—A few days later than regular Bloomsdale Savoy. Holds from 12 to 14 days longer. 42 days.

Improved or Giant Nobel—Large, vigorous, spreading plant, slow to form seed stalks. Heavy yielder. Large, thick, smooth, deep green leaves. 45 days.

New Zealand—Thrives in dry, hot weather. Can be picked repeatedly all season. Not a true spinach but similar when cooked. 70 days.

Viroflay—Very large, broad thick leaves, slightly crumpled. Old standard variety suitable for spring or fall sowing. Good for canning. 46 days.

SQUASH

Very sensitive to cold so delay planting until warm weather. Follow same care in planting and culture as for cucumbers and melons. Plant summer varieties 6 or 8 seeds in hills 3' to 4' apart each way and winter squash 8' apart. Plants bear longer if squash is picked off as soon as it is ready for use.

Cocozelle (Bush)—Also called Italian Vegetable Marrow. Oblong shaped. Dark green with light green flesh of very delicate flavor. 60 days.

Early Prolific Straightneck—Earlier, smaller, and more productive than Giant Summer Straightneck, and more uniform. Brilliant yellow. Fine for home or market. 50 days.



Squash, Table Queen

Early Summer Crookneck—Fruits curved at neck, weigh 3-lb, light yellow, moderately warty. 53 to 55 days.

Early White Bush Scallop—Fruits greenish when young, become white at maturity. 3-in. long, 7½ to 8½-in. wide. 53 days.

Hubbard (fr)—Most widely grown of any winter squash. Round, warty, dark green with thick yellow flesh. Weight 12 to 14 lbs. 100 days.

Table Queen or Des Moines (fr)—Acorn-shaped, green, deeply furrowed; flesh rich yellow, dry, mealy, delicious. Convenient size for serving. 100 days.

Zucchini—Straight, cylindrical fruits, 3 to 4 lb., 4 to 5-in. through, 10 to 14-in. long. Mottled and striped green-creamy-gray. Delicate flavored flesh. 60 days.

SWISS CHARD

Plant and cultivate like beet except should be thinned to 8" or 10" apart.

Lucullus—Most popular Chard. Upright in growth, with yellowish-green curled, crumpled leaves. Thick, broad and light green stems. 50 to 60 days.

TOMATOES

Light, warm and not over-rich soil is best and success of crop depends mainly on securing a fast, strong and unchecked growth during the early part of the season. For early crops sow in hotbeds. Set out plants when all danger of frost is past, but first harden off the plants by gradually exposing them to the night air and by the withdrawal of water until the wood becomes hard and the leaves thick and a dark green in color. Transplant carefully and cultivate well as long as vines will permit. A second seed planting made later produces plants that begin to bear in midsummer and continue until frost.

Improved Stone—Medium late. Deservedly popular with canners and market gardeners. Ripens evenly and is uniform. Fruits large, flattened, but deep. Smooth, attractive, scarlet-red, of fine flavor. 86 days.

All Vegetable Seeds
10¢ PER PACKET
UNLESS OTHERWISE NOTED

In bulk at money-saving prices.
Special quotations to market gardeners.
Prices subject to change without notice.

Jubilee—Bright orange with few seeds. Good for slicing or juice. Rich in vitamin content. 72 days.

Louisiana Gulf State—An improvement of the famous Gulf State Market. Beautiful pink color, globe to slight flat in shape. High yielding, resistant to cracking. 77 days.

Marglobe—Moderately productive, with heavy foliage. Vigorous and resistant to wilt and rust. Fruits medium large, nearly round, smooth, and solid. Deep scarlet-red. 77 days.

Pan America, New Wilt-Resistant—Newly developed by the U. S. Dept. of Agriculture. Deep scarlet, heavy and firm. Evenly shaped. Resistant to Fusarium wilt; nailhead rust. 75 days.



Ponderosa—One of the largest varieties. Spreading large vines. Solid, fine flavored, pink, with small seed cells. Somewhat rough and flat. Have a tendency to crack. Late variety. 88 days.

THE OLD GARDENER reminds you

TOMATOES are the Number One crop of the home garden: give them the attention they're worth. Use good husky plants, dark green with a fresh, bright look, or seeds of the newer wilt-resistant varieties listed in our catalog.

Watering is particularly important with tomatoes because blossom end-rot (the blossom end of the fruit turns black and spoils the fruit) is not a bacterial or fungus disease, but is due to "ups and downs" in the water supply. Once you start watering, keep it up consistently—at the same level. A heavy mulch to hold the soil moisture at a uniform level is helpful.



Don't use poultry manure in growing tomatoes: It forces long, sappy growth with practically no fruit. If you do use animal fertilizers on tomatoes, be sure to balance them by adding superphosphate and muriate of potash; otherwise fruit may be poor. The best plan of feeding is to use balanced plant food for a side dressing, applying it regularly as the plants grow.

To continue growth to the main shoot, trim lower leaves as plant grows (see Illustration 1 at left). Don't let the plants develop like the second one at the left. And it's well worthwhile to stake and tie the plants, as in Illustration 2.






TOMATO, Rutgers



CARROTS, (top) Nantes, (center) Imperator, (below) Red Cored Chantenay



SWISS CHARD, Lucullus



CORN, Golden Bantam



LETTUCE, Grand Rapids

Planting Guide

FOR VEGETABLE GARDENS

	Seed Required for 50 Ft. of Row	Distance Between Rows (Inches)	Distance Apart in Row (Inches)	Depth of Planting (Inches)	Approximate Yield per 50 Ft. of Row	Seed Required Family of 5
Artichoke	1/8 oz.	36 to 48	18 to 24	1/4		
Asparagus	1/2 oz.	14 to 24	3 to 6	1	25 lbs.	1/2 oz.
Beans, Bush	1/2 lb.	24 to 30	2 to 3	1 1/2 to 2	20 qts.	2 lbs.
Beans, Bush Lima	1/2 lb.	18 to 24	2 to 3	1	32 qts.	1 lb.
Beans, Pole	1/2 lb.	36 to 48	6 to 8	1 1/2 to 2	30 qts.	1 lb.
Beans, Pole Lima	1/4 lb.	36 to 48	6 to 8	1 1/2 to 2	1 1/4 bu.	1 lb.
Beets, Table	1/2 oz.	14 to 24	3 to 4	1/2 to 1	1 1/4 bu.	2 oz.
Beets, Mangel	1/2 oz.	20 to 28	3 to 4	1		
Broccoli, Heading	1/8 oz.	24 to 30	24	1/2	50 head	1 pkt.
Brussels Sprouts	1/8 oz.	24 to 30	12 to 18	1/2	15 qts.	1 pkt.
Cabbage	1/4 oz.	18 to 36	14 to 24	1/2	35 to 50 head	1/4 oz.
Chinese Cabbage	1/2 oz.	18 to 24	12 to 15	1/2	40 to 50 head	1 pkt.
Carrots	1/4 oz.	16 to 24	1 to 3	1/2	24 qts.	1/2 oz.
Cauliflower	1/4 oz.	24 to 30	20 to 24	1/2	25 to 30 head	1 pkt.
Celery	1/8 oz.	24 to 40	4 to 6	1/4	75 to 100 stalks	1 pkt.
Collards	1/4 oz.	24 to 30	14 to 18	1/2	3 bu.	1 pkt.
Corn, Sweet	4 oz.	30 to 42	9 to 12	1	100 ears	1 lb.
Corn, Pop	3 oz.	34 to 40	6 to 8	1		
Cucumber	1/2 oz.	48 to 60	12 to 36	1/2 to 3/4	75 to 100 fruit	1/2 oz.
Dill	1/4 oz.	18 to 36	4 to 8			
Egg Plant	1/8 oz.	24 to 36	18 to 24	1/2	70 to 80 fruit	1 pkt.
Endive	1/2 oz.	18 to 24	8 to 12	1/2	50 to 60 plants	1 pkt.
Kale	1/2 oz.	24 to 32	14 to 22	1/2	50 plants	1 pkt.
Kohlrabi	1/4 oz.	14 to 24	4 to 6	1/2	1 bu.	1 pkt.
Leek	1/4 oz.	12 to 42	2 to 4	3/4		1 pkt.
Lettuce	1/4 oz.	12 to 18	4 to 12	1/4	25 lbs.	2 oz.
Muskmelon	1/2 oz.	70 to 80	36 to 60	3/4	50 to 60 fruit	1 pkt.
Mustard	1/4 oz.	14 to 24	6 to 9	1/2	1 to 1 1/2 bu.	1/2 oz.
Okra	1 oz.	36 to 48	24	1	450 pods	1 pkt.
Onion	1/4 oz.	18 to 24	3 to 4	3/4	1 bu.	1/2 oz.
Onion (for sets)		12 to 14	not thinned	3/4	30 scallions	
Onion sets	1 pt.	12 to 18	2	1	60 bunches	1 qt.
Parsley	1/4 oz.	12 to 20	6 to 8	1/2	45 bunches	1 pkt.
Parsnips	1/2 oz.	18 to 24	3 to 4	1/2	1 bu.	1/2 oz.
Peas	3/4 lb.	24 to 36	1 to 2	1 to 2	30-50 qts. pods	3 lbs.
Peppers	1/8 oz.	20 to 30	18 to 20	1/2	25 doz. peppers	1 pkt.
Pumpkin	2 oz.	96 to 108	60 to 84	3/4	25 to 35 fruit	1 pkt.
Radish	1/2 oz.	12 to 18	1 to 2	1/2	50 bunches	3 oz.
Rhubarb	1/2 oz.	24 to 48	18 to 24			
Rutabaga	1/8 oz.	18 to 24	6	1/2 to 1		1 pkt.
Salsify	1/2 oz.	18 to 24	2 to 4	1/2		1 pkt.
Spinach	3/4 oz.	14 to 18	3 to 5	3/4	1 1/2 bu.	1 oz.
Spinach, N.Z.	1/2 oz.	30 to 36	12 to 18	1	35 to 50 lbs.	1 oz.
Squash, Summer	1/4 oz.	36 to 48	48 (4 seeds)	1	60 to 70 squash	1 pkt.
Squash, Winter	1/4 oz.	72 to 90	72 (4 seeds)	1	35 to 40 squash	1 pkt.
Swiss Chard	1/2 oz.	12 to 18	4 to 6	1	25 lbs.	1 oz.
Tomato	1/16 oz.	40 to 60	36 to 40	1/2	2 bu.	1 pkt.
Turnip (roots)	1/4 oz.	18 to 24	2 to 4	1/4	1 bu.	1/2 oz.
Turnip (greens)	1/2 oz.	12 to 18	2 to 4	1/4	1 1/2 bu.	1 oz.
Watermelon	1/2 oz.	72 to 96	72 to 96	3/4	20 fruit	1 pkt.

Pritchard's, or Scarlet Topper—Medium to large, round, with thick, firm flesh and small seed cavities. Brilliant red throughout, coloring right to top, without hard green spots. Free from acidity, one of the best home canners. Early.

Rutgers—Second early variety. Large, thick stems, vigorous foliage. Fruits similar to Marglobe but flatter at stem end. Bright red, with thick walls. Red, firm flesh, low acidity. 72 days.

Stokesdale—An extremely important new development. Smooth, 7-oz. fruit, brilliant color, exceedingly solid flesh and small seed cavities. Matures in the second-early group, a full week earlier than the Marglobe group. Usually ahead of Bonny Best, too—and 2 ounces heavier.

Small Fruited

Red and yellow varieties, shaped like miniature pears, plums, and cherries; very attractive for preserves.

TURNIPS

Sow in rows 1' to 2' apart or broadcast in rich, freshly stirred soil. Cover seeds with soil 1/2" deep. Turnips are easily grown in early spring, late summer and fall.

White Fleshed

Amber Globe—Chiefly grown for stock, but used for table when young. Tops large, cut leaved. Roots round, large, smooth, globe-shaped, light yellow with green top. Flesh, yellowish white, of good quality. 76 days.

Long White Cowhorn—Long white variety used principally for stock food. Tender and sweet for table use when young. Tapered; 12-15 in. 65 days.

Purple Top White Globe—All purpose variety. Large, sweet tops. Smooth, globe-shaped roots, purple-red above, white below. Sweet, tender, crisp, fine grained white flesh. 50 to 60 days.

White Egg—Cut leaved, medium sized, upright tops. Egg shaped roots, all white. Smooth grained. 55 to 60 days.

Foliage Turnip

Seven Top—For greens or forage. Young shoots extremely tender. Roots tough, undesirable for food. 50 days.

Shogoin or Japanese Foliage—Recently introduced and rapidly gaining popularity. 18 to 20-in. bright green tops, strap leaved. Roots are semi-round, and white. Very mild. 70 days.

Rutabaga or Swede Turnip

American Purpletop—Hardy and productive. Tender firm, light yellow, sweet flesh. 88 days.

PLANTING BY THE MOON

Many gardeners like to govern their planting by the phases of the moon. For these gardeners, we show here all the necessary information. The chart is COMPLETE, giving you ALL THE DATA

by more voluminous arrangements. As seedsmen, we cannot vouch for the effectiveness of this method. However, we are glad to provide the up-to-date chart for those who want it.

Signs of the Zodiac and Their Influence

♈ **ARIES**: Tends to dryness, barrenness. Fairly good for cultivating, spraying and destroying weeds. Plant onions.

♉ **TAURUS**: Fairly productive. A good sign for planting root crops particularly potatoes and bulbous plants.

♊ **GEMINI**: Dry and barren. Not good for any kind of planting or transplanting. Kill noxious growths.

♋ **CANCER**: Moist, very fruitful, most productive of the Zodiac. Planting and transplanting should yield good crops. Irrigate, bud, graft, transplant.

♌ **LEO**: Most dry and barren sign. Use only to kill weeds, destroy roots, etc.

♍ **VIRGO**: Moist but barren. Not recommended for planting or transplanting; good for cultivating and destroying.

♎ **LIBRA**: Fairly fruitful. Seed for hay, corn, fodder, etc. Produces vigorous pulp growth, reasonable amount of grain. Good for flowers.

♏ **SCORPIO**: Next to Cancer in productiveness. Irrigate but do not dig potatoes.

♐ **SAGITTARIUS**: Generally considered barren but used by many for onions, seeding for hay, destroying weeds, etc.

♑ **CAPRICORN**: Earthly, fairly productive. Similar to Taurus but drier. Bulbous flowers, potatoes, tubers, root crops.

♒ **AQUARIUS**: Somewhat barren. Good only for cultivation and extermination of pests.

♓ **PISCES**: Similar to Cancer so use for same purposes. Very productive. Do not dig potatoes.

Melons, Peas, Peppers, Pumpkins, Squash, Tomatoes, flowers, and cereals.

When possible, plant seed while the Moon is in the fruitful signs of Cancer, Scorpio or Pisces. The next best signs are Taurus, Libra and Capricorn.

☾ 3rd QUARTER, MOON DECREASING—During 3rd Quarter of

Moon plant the following: Beets, Carrots, Chicory, Parsnips, Potatoes, Radishes, Rutabagas, Onions, Turnips, Tubers.

☾ 4th QUARTER, MOON DECREASING—In 4th or Last Quarter of the Moon turn sod, pull weeds, and destroy noxious growths, especially when Moon is in the barren signs, Gemini, Leo, Virgo or Aquarius.

1947 — Moon's Phases and Positions — 1947

JANUARY	APRIL	JULY	OCTOBER
1 ☾ 7:06p.	2 ♉ 2:30a.	2 ♋ 7:03a.	1 ☾ 8:15p.
3 ♊ 9:25p.	4 ♎ 6:40a.	4 ♎ 7:49p.	4 ♊ 1:43a.
5 ☽ 9:28p.	6 ♍ 12:58p.	7 ♋ 8:93a.	6 ☽ 5:47a.
7 ♌ 8:54p.	9 ♈ 10:13p.	9 ♏ 6:34p.	8 ♌ 8:41a.
9 ♍ 9:46p.	11 ♋ 10:09a.	12 ☽ 2:11a.	10 ♍ 10:57a.
12 ♎ 1:55a.	13 ♎ 10:50p.	14 ♊ 6:16a.	12 ♎ 1:32p.
14 ♍ 10:16a.	16 ♋ 9:46a.	16 ☽ 7:14a.	14 ♍ 5:47p.
16 ♈ 10:03p.	18 ♏ 5:25p.	18 ♌ 6:34a.	17 ♈ 12:54a.
19 ♋ 11:10a.	20 ☽ 9:55p.	20 ♍ 6:19a.	19 ♋ 11:14p.
21 ♎ 11:36p.	23 ♊ 12:28a.	22 ♎ 8:34a.	21 ♎ 11:39p.
24 ♋ 10:22a.	25 ☽ 2:22a.	24 ♍ 2:42p.	24 ♋ 11:45a.
26 ♏ 7:10p.	27 ♌ 4:44a.	27 ♈ 12:41a.	26 ♏ 9:30p.
29 ☽ 1:45a.	29 ♍ 8:15a.	29 ♋ 1:02p.	29 ☽ 4:16a.
31 ♊ 5:52a.			31 ♊ 8:35a.
CHANGES	CHANGES	CHANGES	CHANGES
☽ 6 10:47p.	☽ 5 9:28a.	☽ 3 4:38a.	☾ 7 4:29a.
☾ 13 8:56p.	☾ 13 8:23a.	☾ 11 4:54a.	☾ 14 12:10a.
☾ 22 2:34a.	☾ 20 10:19p.	☾ 17 10:15p.	☾ 21 7:11p.
☾ 29 6:07p.	☾ 27 4:18p.	☾ 24 4:54p.	☽ 29 2:07p.

FEBRUARY	MAY	AUGUST	NOVEMBER
2 ☽ 7:38a.	1 ♎ 1:25p.	1 ♎ 1:50a.	2 ☽ 11:31a.
4 ♌ 8:01a.	3 ♍ 8:36p.	3 ♋ 1:49p.	4 ♌ 2:04p.
6 ♍ 8:43a.	6 ♈ 6:09a.	6 ♏ 12:19a.	6 ♍ 4:55p.
8 ♎ 11:41a.	8 ♋ 5:55p.	8 ☽ 8:43a.	8 ♎ 8:43p.
10 ♍ 6:28p.	11 ♎ 6:41a.	10 ♊ 2:18p.	11 ♍ 2:03a.
13 ♈ 5:16a.	13 ♋ 6:20p.	12 ☽ 4:49p.	13 ♈ 9:34a.
15 ♋ 6:12p.	16 ♏ 2:55a.	14 ♌ 5:06p.	15 ♋ 7:37p.
18 ♎ 6:38a.	18 ☽ 7:51a.	16 ♍ 4:49p.	18 ♎ 7:45a.
20 ♋ 4:57p.	20 ♊ 9:50a.	18 ♎ 6:04p.	20 ♋ 8:16p.
23 ♏ 12:57a.	22 ☽ 10:25a.	20 ♍ 10:46p.	23 ♏ 6:53a.
25 ☽ 7:07a.	24 ♌ 11:18a.	23 ♈ 7:35a.	25 ☽ 2:05p.
27 ♊ 11:46a.	26 ♍ 1:51p.	25 ♋ 7:31p.	27 ♊ 5:55p.
	28 ♎ 6:54p.	28 ♎ 8:18a.	27 ♊ 5:55p.
	31 ♍ 2:43a.	30 ♋ 8:04p.	29 ☽ 7:31p.
CHANGES	CHANGES	CHANGES	CHANGES
☽ 5 9:50a.	☽ 4 10:53p.	☽ 1 7:50p.	☽ 5 11:03a.
☾ 12 3:58p.	☾ 13 2:08a.	☾ 9 2:22p.	☾ 12 2:01p.
☾ 20 8:00p.	☾ 20 7:44a.	☾ 16 5:12a.	☾ 20 3:44p.
☾ 28 3:12a.	☾ 26 10:35p.	☾ 23 6:40a.	☽ 28 2:45a.

MARCH	JUNE	SEPTEMBER	DECEMBER
1 ☽ 2:58p.	2 ♈ 12:55p.	2 ♏ 6:02a.	1 ♌ 8:30p.
3 ♌ 5:00p.	5 ♋ 12:52a.	4 ☽ 2:10p.	3 ♍ 10:24p.
5 ♍ 6:46p.	7 ♎ 1:39p.	6 ♊ 8:18p.	6 ♎ 2:14a.
7 ♎ 9:52p.	10 ♋ 1:46a.	9 ☽ 12:11a.	8 ♍ 8:25a.
10 ♍ 3:52a.	12 ♏ 11:32a.	11 ♌ 2:03a.	10 ♋ 4:49p.
12 ♈ 1:35p.	14 ☽ 5:45p.	13 ♍ 2:51a.	13 ♋ 3:14a.
15 ♋ 2:01a.	16 ♊ 8:21p.	15 ♎ 4:17a.	15 ♎ 3:16p.
17 ♎ 2:35p.	18 ☽ 8:32p.	17 ♍ 8:11a.	18 ♋ 3:59a.
20 ♋ 12:57a.	20 ♌ 8:07p.	17 ♍ 8:11a.	20 ♏ 3:36p.
22 ♏ 8:22a.	22 ♍ 9:02p.	19 ♈ 3:50p.	23 ☽ 12:10a.
24 ☽ 1:29p.	25 ♎ 12:53a.	22 ♋ 2:58a.	25 ♊ 4:47a.
26 ♊ 5:16p.	27 ♍ 8:17a.	24 ♎ 3:38p.	27 ☽ 6:03a.
28 ☽ 8:26p.	30 ♈ 6:46p.	27 ♋ 3:24a.	29 ♌ 5:41a.
30 ♌ 11:22p.		29 ♏ 12:57p.	31 ♍ 5:47a.
CHANGES	CHANGES	CHANGES	CHANGES
☽ 6 9:15p.	☽ 3 1:27p.	☾ 7 9:57p.	☾ 4 6:55p.
☾ 14 12:28p.	☾ 11 4:58p.	☾ 14 1:28p.	☾ 12 6:53a.
☾ 22 10:34a.	☾ 18 3:26p.	☾ 21 11:42p.	☾ 20 11:43a.
☾ 29 10:15a.	☾ 25 6:25a.	☽ 30 12:41a.	☽ 27 2:27p.

All Vegetable Seeds
10¢ PER PACKET
 UNLESS OTHERWISE NOTED

In bulk at money-saving prices.
 Special quotations to market gardeners.
 Prices subject to change without notice.

Hybrid Seed Corn by the South, for the South—now at Everett's



THIS...

This is a planting of open-pollinated corn. Shown below is a planting of HYBRID seed corn in the same field.

New Southern grown Hybrids far superior to open-pollinated kinds

A great deal of important work has been done on HYBRID corns in the South for the past several years and the most important single thing brought out by this research work was that only Hybrids developed and adapted for the South are successful in the South. There are many, many different Hybrid Corns but only a few varieties are ADAPTED FOR THE SOUTH. Only those that are bred for Southern conditions will be successful in the South.

Experiment Station, private experimental tests and actual farmer field tests now conclusively prove that adapted Hybrid corns are fast replacing and far superior to most open-pollinated varieties for the South.

If you are not already convinced that Hybrid Corn is really "Up and Coming" in the South, then please consult your County Agent or Vocational Agricultural teacher or the Department of Extension, Athens, Georgia, or the Georgia Agricultural Experiment Station, Experiment, Georgia.

Better Root Systems

Hybrid Corn is different from regular or open-pollinated corn. Hybrids have the good qualities of several strong strains bred into them. One of the main characteristics bred into Southern Hybrid Corns is the extensive feeder root system. As a result of this, these Hybrids can consume more fertilizer and can be planted much thicker in the drill than ordinary corn. Specialists are recommending that 500 to 800 pounds of good, high-grade fertilizer be applied per acre and that the Hybrid Corn be planted in the drill and spaced 12 inches apart. The distance between rows is naturally standard, as you would plant for any corn. A later top dressing of 200 pounds of Nitrate of Soda per acre is recommended. After careful investigation of trials and results conducted throughout the South, we are convinced that the varieties of Hybrids offered below are the ones that are best suited and adapted for the Southeastern section (excepting the Coastal Plains and Florida). For most of Georgia, Alabama, Tennessee, North Carolina and South Carolina, we strongly recommend your choice of one of the following Hybrid Corns:

Varieties of Hybrids

TENNESSEE 10 is a white corn with a red cob and is one of the very best of the Hybrids, having two to three ears per plant on good soil; very stiff stalk that resists lodging. Foliage is dark green and heavy. Long ears and deep grains. Good shuck coverage. **Price \$9.00 per bushel.**

TENNESSEE 14 Best yielder in the South, according to many tests, having two to three ears on good soil and

mostly two on medium soil. Good shuck coverage. It is a white corn with a red cob. **Price \$9.00 per bushel.**

TENNESSEE 15 is a white corn with a red cob and one of the most popular throughout the Southeast. It is a heavy yielder, making two to three ears per plant on good soil and two ears on medium soil. It has a good-sized grain and shells out exceedingly well. Good shuck coverage. **Price \$9.00 per bushel.**

DIXIE 44 is a yellow corn with white cob, somewhat prolific on good soil. Should average two ears on medium soil. One of the best yielders in the yellow Hybrids. Strong stalk, resisting lodging has dark green leaves. This is reported to us as an outstanding performer and is the result of cooperative work by several Southern Experiment Stations. **Price \$10.00 per bushel.**

FUNK'S G-708. This is a popular yellow Hybrid recommended for the Northern half of Georgia and Piedmont and mountain areas, and North and South Carolina. Prolific under favorable conditions and a good yielder even under adversity. Strong stalk and will withstand many storms. **Price \$9.90 per bushel.**

FUNK'S G-714. A yellow Hybrid adapted to all of the South except the mountain areas of the Carolinas and Tennessee. It is prolific in type and has a good, strong stalk and a long, tight husk, resistant to drought and does well on upland. **Price \$9.90 per bushel.**

FUNK'S G-717. A yellow Hybrid that withstands drought because of its deep root system. It is medium early and can be planted later than some of the other hybrids. A high yielder and prolific. **Price \$9.90 per bushel.**

NOTE: The above Hybrids are adapted and recommended for the Southeast, excepting the Coastal Plains section and Florida.



... OR THIS?

This is HYBRID corn grown in the same field. Note the excellent weed control, tall plants and high ears. It will pay you to study this comparison.

• • •

EVERETT'S
The Leader in
Southern Hybrids



Grow the right HYBRID corn and make each acre earn more.

The South's finest pastures are planted with Everett's Dependable PASTURE GRASSES

ALFALFA

Rich in proteins and lime—hence a great feed crop for dairy cows, beef cattle, hogs, sheep. A marvelous soil builder and soil restorer, too, when properly inoculated. We carry a full range of selected Alfalfa varieties, all well suited to the needs of this territory.

BEANS

Soy Beans—The crop of many purposes. Excellent for hay, ensilage, grain, and soil improvement. Ground Soy Beans are as good or better than Oil Meal for mixing with your grains in a balanced dairy ration. We offer the highest quality seed in a range of varieties.

Velvet Beans—Fine for a forage crop and a good soil builder, too. Grows rapidly. Excellent for planting in corn or in fruit groves. (Be sure to inoculate.)

Buckwheat—A nourishing plant yielding large quantities of grain. Tends to smother out weeds, needs little rain.

Broom Corn—Plant 4 to 6 seeds in hills, 30 to 36 inches apart. Thresh the same day pulled and cure in dry frames for about a week before baling.

Lespedeza—Produces plenty of high quality hay, and does an excellent job of soil building — particularly when inoculated. Stands dry, hot weather and produces repeat crops in good volume, even where moisture is low.

Chufas—Any land suitable for corn, cotton or peanuts makes a profitable crop of chufas.

Carpet Grass—Excellent permanent pasturage because its creeping growth lets it stand close grazing. Needs plenty of moisture. Especially desirable for golf courses.

Dallis Grass—Germinates slowly and needs plenty of moisture at the start—but well worth the effort because it comes closer to giving you year-round pasturage than any other grass.

Kentucky Blue Grass—Produces a deep dark green lawn of close, thick turf. Maintains its green color until late in fall. Roots are deep, plants very hardy.

Orchard—Tall, vigorous pasture grass especially adapted to moist and shaded places.

Rye Grass—A rapid grower, valuable in lawn mixtures demanding quick effect. Not long lasting. Good in moist soils.

Sudan Grass—One of the greatest summer grazing crops. Also fine for green feed. Keep a small plot near the barn to cut and feed green to cows or horses.

Millet—Its quick growth makes it particularly desirable for hay and pasturage, especially in times of drouth.

Peanuts—A very profitable crop for light, loamy or sandy soil.

Peas — Austrian Winter—This is a leguminous crop which vastly increases the fertility of the soil.

Dwarf Essex Rape—Excellent green food for all livestock, including hogs and chickens. An acre of good Rape will pasture 20 hogs for two months.

Shallu (Egyptian Wheat)—Makes a big yield of both grain and fodder. Very good for fattening hogs.

Sorghum—A seed that must be bought with special caution because of the danger of impurities. We handle only seed which has been produced with the greatest care.

Vetch—A great producer, for hay, pasturage, or silage. Good cover crop and soil builder. May be sown spring or fall, is not particular as to soil, and needs only moderate moisture.

For FALL Planting

CLOVERS

White Dutch
Hop
Ladino
Crimson

GRASSES

Rye Grass
Orchard Grass
Blue Grass

CLOVERS

White Dutch Clover—This hardy perennial clover is particularly suitable for pastures in the South—both for forage and for cutting. It is also excellent for an early green manure crop. It inoculates the soil with Nitragin "B".

The plant reseeds itself when seeds are allowed to reach the soil.

Hop Clover—A good clover for late winter and spring pastures—it affords early grazing. Inoculates the soil with Nitragin "B". Grows upright, bearing small yellow blooms. Does well on sandy soil or waste lands.

Ladino—An excellent white clover which makes double the growth of other dwarf white clovers and quickly recovers from pasturing.

Crimson—An annual variety of clover much used as a cover crop, usually sown in the spring.

For SPRING Planting

CLOVERS

White Dutch
Hop
Ladino

GRASSES

Dallis (Imported)
Bermuda—Hulled
Bermuda—Unhulled
Carpet
Orchard
Lespedeza

Crotalaria—A valuable land builder. Requires no lime and grows well on any soil. Smothers out summer weeds.

Feterita—A good grain yielder. Drouth resistant.

Cow Peas—The triple-purpose crop, good for table use, stock feed, and soil improvement. One of the greatest general hay crops, and adapted to practically every kind of soil. Food value is exceptionally high. Be sure to inoculate.

GRASSES

Bermuda Grass Hulled. The highest grade of Bermuda, with the hard, almost water-tight hulls removed. Produces much quicker and more certain results. Germination, with proper moisture conditions, takes only 1 to 2 weeks.

Bermuda Grass Unhulled—As valuable for lawns or golf courses as it is for pasturage — or wherever a thick, heavy sod is desired.

Ask For Our Latest
List Of Varieties
And Prices



The finest FLOWER SEEDS in the world

KEY TO SYMBOLS

The symbols after the name of each flower give you the following information:

(a)—Annual (hhp)—Half-hardy Perennial
 (b)—Biennial ♦—Suited to full shade
 (hp)—Hardy Perennial ●—Suited to semi-shade

Information on how to grow is indicated by the Culture Number. Refer to Page 27 for complete data.

The initials "A-A" indicate winners of the All-America Awards.

AGERATUM (a)—Culture II. Cover 1/8-in. Blooms early summer to frost. **HT.**
Blue Cap—New, dwarf. Rich, deep blue. Pkt. 15c. 6"
Blue Perfection—Deep Amethyst-blue. 9"
Midget Blue—1940 "A-A." Azure blue. Pkt. 25. 2-3"

ALYSSUM (a) ●—ANNUALS. Culture II. Cover 1/4-in. Blooms early summer to frost.
Carpet of Snow—White flowers. Plants 1 1/2 ft. across. 3"
Little Gem—Clouds of honey-scented white flowers. 6"
Lilac-Queen—Lavender-lilac flowers.
Violet Queen—Dwarf, compact, free flowering. Sweet scented; rich, deep violet. Pkt. 15c.

ALYSSUM (hp) ●—PERENNIALS. Culture VI. Cover 1/8-in. Blooms early spring.
Saxatile Compactum (Gold Dust)—Brilliant golden-yellow flowers and grayish-green foliage. 12"
ANCHUSA, Blue Bird (a) ●—Culture II. Cover seeds 1/8-in. Sprays of indigo blue flower. 20-24"

ANTIRRHINUM (a) ● (Snapdragon)—Culture I. Cover 1/8-in. Sow early. They germinate slowly.
Maximum (Tallest Varieties)—Rust-resistant. Best for wealth of flower spikes. Mixed. Pkt. 15c.
Large Flowered (Tall Giant)—Fine for bedding or cutting. Long, heavy spikes. Mixed. Pkt. 15c.
Super Majestic (Semi-tall)—Large flowers on semi-tall plant. Rust-proof. Mixed. Pkt. 15c.
Half-Dwarf (Large Flowered)—Very good for bedding. Heavy spikes and good length. Mixed. Pkt. 15c.
Guinea Gold—Delightful flowers of bronzy orange blended with yellow. Bloom early. Pkt. 15c.

AQUILEGIA (Columbine) (hp) ●—Culture VI. Covers 1/8-in. Prefers light shade, fairly rich soil. 18-24"
Mrs. Scott Elliott's Long-Spurred—Extremely large flowers, wide range pastel colors. Pkt. 20c.

ARCTOTIS (Blue-eyed African Daisy) (a)—Culture I. Cover 1/8-in. Blooms to frost. Prefers sun. 30"
Grandis—Pure white blooms, bluish center, gold band.
ARMERIA (Thrift) (hp)—Rock-garden or edging plant of bright rose and white. Pkt. 15c.

ASTER (a)—Culture I. Cover 1/8-in. Need rich soil, good sun. **Var.**
American Branching—Most popular. 3 1/2 to 4-in. double blooms. Branching, long stems. All colors. 24-36"
California Giant Improved—5-in. double flowers, with long curled petals; stems 1 1/2 to 2-ft. long. Branching. All colors. Pkt. 15c. 24-36"
Giant Crego (Wilt-resistant)—Flowers 4 to 5-in. double, petals curled and twisted. Vigorous, branching. Long stems. All colors. Pkt. 15c. 24"
Giant Crego Navy Blue—1943 "A-A." argely 4-in. double flowers, deep purple blue. Pkt. 25c. 12-20"
Queen of the Market (Wilt-resistant)—First to bloom. Nearly round, double, 3-in. flowers, long stems. Spreading. All colors. 18"

BABY'S BREATH—See Gypsophila.

BACHELOR'S BUTTON (a) (Centaurea or Cornflower)—Culture IV. Cover 1/4-in. **HT.**

Blue Boy—Very fine, fully double. Blue. Pkt. 15c.
Imperialis—These Giant Sweet Sultans bloom in delicately colored fringed blossoms. Sow early. Pkt. 15c.
Jubilee Gem—"A-A" 1937. Completely covered with large, double, deep blue flowers. Pkt. 15c. 12"
Pinkie—Double, deep pink. Pkt. 15c.
Red Boy—Deep glowing red. Pkt. 15c.
White—Glistening snow-white.
Mixed—

BALLOON VINE (Love-in-a-Puff) (a)—Culture III. Cover 1/2-in. Rapid growing climber. White flowers, succeeded by small, balloon-like seed-pots. 8-10'

BALSAM (Lady-Slipper) (a) ●—Culture II. Cover 1/4-in. Double, camellia-like flowers. Wants partial shade, plenty of moisture. Sow late. 24"

BLUE LACE FLOWER (Didiscus) (a)—Culture I. Cover seeds 1/8-in. Blooms midsummer. Clusters of lavender-blue 2 1/2-in. flowers, like tiny parasols. 24"

BURNING BUSH or FIRE BUSH—See Kochia.

CALENDULA (a) (Pot Marigold)—Culture II. Cover 1/4-in. Midsummer to frost. Grows anywhere. Stands drought and heat. Transplant to 12 to 16-in. apart. 18-20"
Campfire Improved—Double flowers, deep orange. Heavy stems. Pkt. 15c. 4"
Orange King—Extra fine, deep orange, dark center
Orange Shaggy—"A-A" 1935. Deep orange, lighter centers; Chrysanthemum-like blooms.

CALLIOPSIS (a) (Tickseed)—Culture IV. Cover 1/8-in. Blooms all summer. Bright varied combinations. **Var.**
Golden Crown—"A-A" 1938. Improved rich yellow, maroon center. Pkt. 15c.
Tall, Mixed—

CAMPANULA (Canterbury Bells) (a)—Culture I. Cover 1/8-in. Blooms 5 to 6 months after seeding. Bushy plants, bell-shaped flowers. 18"
Single—All colors—white, pink, blue and lilac. 18"
Single and Double Mixed—Fine for summer borders.
CANDYTUFT (Iberis) (a)—ANNUALS: Culture III. Cover 1/4-in. Blooms in 8 weeks. Blooms all season if not allowed to seed. Will grow in dry, sandy soil. 6-12"

CARNATION (a)—Culture I. Cover 1/8-in. 15"
Chaubaud's Giant—Double, extra large, clove-scented. Blooms 5 months after seeding. Pkt. 15c.
CASTOR BEAN (Ricinus) (a)—Culture II. Cover seeds 1/2-in. Broad tropical leaves and brilliant colored fruits. Needs good soil, ample sun and moisture. 6-15'

CELOSIA (Cockscomb) (a)—Culture I. Cover 1/8-in. Midsummer to frost. **Var.**
Childsii Type (Chinese Woolflower)—Large heads like wool chenille balls of bright, rich red. 24"
CENTAUREA—See Bachelor's Button.

CHRYSANTHEMUM (a)—Culture II. Cover 1/8-in. Favorite flower for fall bloom. Pleasing color range. 24"
Painted Daisy—Blooms profusely during summer. Some of one color but most have gorgeous multi-colored bands.
Single Mixed—

CLARKIA (a)—Culture IV. Cover 1/4-in. Bushy plants, many rosette-like flowers set along stem. 24"

CLEOME (Spider Plant), Pink Queen (a)—Culture II. Cover 1/4-in. 1942 "A-A." Huge heads of refreshing pink. Turn to white before falling. Pkt. 15c.
CLOVER STRAWFLOWER—See Everlasting Flowers.
COCKSCOMB—See Celosia.
COLUMBINE—See Aquilegia.
CONFLOWER—See Rudbeckia.

COREOPSIS (hp)—Culture VI. Cover seeds 1/4-in. Long blooming season. Daisy-like yellow flowers with broad fluted petals. Long stems. 24"

CORNFLOWER—See Bachelor's Button.

COSMOS (a)—Culture IV. Cover seeds 1/4-in. 24-36"
Dazzler—Deep crimson maroon. Flowers, 4 to 5-in. across, with broad, fluted petals. 1943 "A-A." Pkt. 25c.
Orange Flare—"A-A" 1935. Early flowering.

All Flower Seeds 10¢ PER PACKET
 except where otherwise noted

All-America Selections AND OTHER RECOMMENDED NOVELTIES



ZINNIA, Black Ruby



MARIGOLD, Naughty Marietta



PETUNIA, Rose Marie



CLEOME, Pink Queen



PETUNIA, Cheerful



MARIGOLD, Flash

HOW? WHEN? WHERE? WHY?

D. D. T. and Aster Yellows

Though wilt resistant asters solved the wilt problem, Aster Yellows are still a menace. Now, with D.D.T., we can keep off the leaf hopper, the insect that carries the virus of Yellows to the Aster plant. Regular spraying or dusting with D.D.T. will leave a residue which will kill the leaf hopper when it lights on the plant and before it can stab the leaves and pass on the virus. So if your Asters have been disappointing lately, try again, using D.D.T.

Large Flowered and Double Petunias

These should never be direct seeded outdoors, but must be started indoors. Use a flat filled with seed-starting mixture. Press soil with a brick or flat piece of wood to firm it. Wet thoroughly. Then broadcast the seed on the surface of the soil. Cover entire flat with a pane of glass and then with a sheet of newspaper. Set in a warm, dark place at 75° to 85° until seed germinates. Then move to a sunny window. If flat dries out slightly before seed sprouts, water carefully with an atomizer. Transplant seedlings when second pair of leaves forms. Move into the garden after danger from frost is past.

Formula for Pansy Growing

Pansies are not annuals but near-hardy perennials that need special

culture. Cold frames, with glass sash and mats for winter protection are essential. Soil should be rich: up to one-third of soil can be well-rotted manure or sifted compost. Sow seed in August. Protect frame with shades made by tacking muslin or cheese cloth over window screens. Thin plants to stand 4" x 4". After first frosts, cover with glass and mats, and allow to freeze slowly. Remove mats in early spring and allow sun to warm frame. Move plants into permanent position when in full bloom. Keep faded flowers picked: they will stop blooming if any seeds are allowed to form. Growing good Pansies from seed is the test of a real gardener.

Removing Flowers

The gardener can lengthen the blooming season of all annuals and some perennials by removing old flowers as soon as they fade, and preventing the plant from going to seed. Delphiniums and Canterbury Bells will usually respond to this treatment by producing a second crop of flowers in fall.

Two Interesting House Plants

The Heavenly Blue Morning Glory makes an excellent house plant for winter flowering if grown in a sunny window. Start new plants in late August, using 6" pots (they make heavy root growth). They can be trained up strings on either side of

Practical answers to every-day questions about home gardening

the window. Lobelia plants can be lifted just before frost, cut back, potted and will flower indoors in late winter.

Pinching Back

If sturdy, stocky plants are wanted, they will need "pinching back." When five or six pairs of leaves have formed, pinch out the top, leaving two or three pairs of leaves on the stem. New shoots will come where the leaves join the stem. Sometimes a second pinch can be made, when these new shoots in turn have formed four or five pairs of leaves, leaving two pairs on each. Pinching increases the number of flowers, though sometimes it decreases their size. Petunias particularly need pinching back if they are to remain short. Towards the end of the flowering season, after Petunias have grown long and lanky, they can be cut back to within an inch or two of the ground and they will throw out new growth. If given a light feeding of mixed fertilizer, these rejuvenated plants will often bloom as well as younger plants early in the season.

Flowers in the Vegetable Garden

To have plenty of cut flowers without disturbing your flower borders, plant a few rows of flowers along the edge of your vegetable garden. Or set them out between rows of early lettuce or radishes, where they can bloom after the vegetables have been used.



CYNOGLOSSUM
Firmament

CENTAUREA
Imperialis

PETUNIA
Dainty Lady

Orange Ruffles—Semi-double, large. Free blooming over long period, if old flowers are removed. 10 days earlier than Orange Flare. Pkt. 15c.
Sensation Mixed—Largest, earliest. Flowers up to 5-in. across. "A-A" 1936.
Yellow Flare—"A-A" 1942. First yellow Cosmos. Single, 2 to 2½-in. flowers in great masses. Slightly later than Orange Flare. Pkt. 15c.

CYNOGLOSSUM (Chinese Forget-Me-Not) (a)—Culture II. Cover seeds ⅛-in.
Firmament—New dwarf type, with busy plants and bright blue color. "A-A" 1939. Pkt. 15c.

DAHLIA (a)—Culture I. Cover seeds ¼-in. Usually grown from roots, but can be raised from seed.
Unwin's Ideal Bedding—Miniature double and semi-double colorful flowers; dwarf bushy plants. Long-lasting cut flower. Pkt. 15c.
DAISY, AFRICAN—See Arctotis.

DELPHINIUM (hp) ●—Culture VI. Cover ⅛-in.
Giant Pacific Hybrids—Very large, well-shaped florets, tall, slender spikes. Pkt. 50c.
Wrexham Hybrids—Hollyhock-flowered strain. Pkt. 35c.

DIANTHUS (Pinks) (a)—Culture VI. Cover ⅛-in. Blooms all summer.
Single Mixed—
Double Mixed—
DIDISCUS—See Blue Lace.
DIGITALIS—See Foxglove.

ESCHSCHOLTZIA (California Poppy) (a) ●—Culture III. Cover ⅛-in. Midsummer to frost. Prefers sun. Large, silky flowers, red, gold, orange, scarlet, chestnut, pink.
EUPHORBIA—See Snow-on-the-Mountain.

EVERLASTING FLOWER (a) (Globe Amaranth, Gomphrena Everlasting or Clover Strawflower)—Culture II. Cover ⅛-in. Blooms all summer. Retains natural colors when cut in bud and dried.

STRAWFLOWER (Helichrysum)—Large double flowers.
FOUR O'CLOCK (a) ●—Culture III. Cover ¼-in. Thrives under any conditions. Red, yellow, rose, white, lilac blossoms open in mid-afternoon.

FOXGLOVE (Digitalis) (b) ●—Culture VI. Cover seeds 1/16-in. Hardy Biennials for tall borders. Tall spikes of bell-shaped blossoms. All colors.

GAILLARDIA (a) (Blanket Flower)—ANNUALS: Culture II. Cover ⅛-in. Blooms all summer.
Single Mixed—
Double Mixed—

GAILLARDIA (hp) — PERENNIALS: Culture VI. Cover ⅛-in. Show blooms in orange, yellow, red and maroon. Withstands drought, heat.
Perennial Monarch Mixed—Large range of colors.

GEUM (hp)—Culture VI. Cover ⅛-in. Flowers like tiny double roses, long stems, prized for cutting. Pkt. 15c.
GILLIFLOWER—See Stocks.

GLOBE AMARANTH—See Everlasting Flowers.
GODETIA (Satin Flowers) (a) ●—Culture II. Cover ⅛-in. Bushy plants with masses of Azalea-like flowers. Thrives best in moist and half-shade.
Double Mixed—Long spikes, pom-pom-like blossoms.

GOURDS, ORNAMENTAL (a)—Culture II. Cover seeds ½-in. Useful climbers, large foliage; singularly shaped. Last years when fully ripened and cured. Mixed.

GYPSOPHILA (hp)—PERENNIALS: Culture VI. Cover ⅛-in. Perennial White—Tiny flowers on slender stems, producing a mist-like effect.

HELIANTHUS, Sun Gold (Sunflower) (a)—Culture II. Cover ¼-in. New! 100% double flowers. Pkt. 15c.

HELICHRYSUM—See Everlasting Flowers.

HEUCHERA (Coral Bells) (hp)—Bright coral red flowers on wiry stalks. Charming for low border or rock garden. Pkt. 15c.

HOLLYHOCK (hp)—Culture VI. Cover seeds ¼-in. Succeed best in deep, rich, well-drained soil. Like warm, sunny place.

Double Mixed—

IMPOMOEA—See Morning Glory.

KOCHIA (Burning Bush or Fire Bush) (a)—Culture II. Cover ⅛-in. Close, compact, bright green pyramidal bush, moss-like foliage that turns brilliant red in fall. Fine hedge plant.

LADY SLIPPER—See Balsam.

LARKSPUR (a)—Culture IV. Cover ⅛-in. Blooms all summer. Clustered flowers. Tall spikes. Feathery foliage.

Blue Spire, Giant Imperial—Best blue. Pkt. 15c.

White King, Giant Imperial—Large double, pure white. Pkt. 15c.

Giant Imperial Mixed—Pkt. 15c.

Pink Perfection—2 in. florets. Pkt. 15c.

Ruby—Giant Imperial, glorious red double florets. Pkt. 15c.

LINUM (a) ● — PERENNIAL: Culture III. Cover ⅛-in. Need sun.

Scarlet Flax—Brilliant glossy-red flowers.

LINUM (hp) ● — PERENNIAL: Culture VI. Cover ⅛-in. Need sun.

Perennial Blue—Light blue, upright flowers in great profusion all summer.

LOBELIA, Crystal Palace (a)—Culture V. Cover 1/16-in. Small, round, compact plants covered with deep blue flowers, dark foliage.

LUPINES (a) ●—Culture III. Cover seeds ½-in. Prefers light shade. Long spikes of large dark blue, sky blue, rose, or white flowers. Mixed.

LUPINS (hp)—Russell's Choice Mixed—Wonderful border flower of many lovely colors. Gold Medal winner, 1937. Pkt. 25c.

MARIGOLD (a)—Culture II. Cover ⅛-in. Blooms early and late.

Burpee's Gold—Extremely large, sweet-scented, double. Odorless foliage. Pkt. 15c.

Butterball, Dwarf French Double—"A-A" 1942. Compact plants; very early. 1½-in. blooms. Pkt. 15c.

Crown of Gold, Odorless—"A-A" 1937. Short, quilled center petals, with flat, deep orange guard petals. Branching plant. Midseason.

Dwarf Royal Scot—Red flowers. Gold stripes. Pkt. 15c.

Dwarf Single—Masses of eight-petaled single flowers, 1½ inches across.

Flash—Gives a profusion of lovely single blooms, 1¾ in. across. Varying yellow to red. "A-A" 1945. Pkt. 15c.

Guinea Gold—Magnificent golden flowers with carnation-like petals.

Harmony Type, French Dwarf Double Hybrids—Flowers 1¾-in., all double. No strong odor. Combinations of yellow, orange, maroon. Earliest of all. Pkt. 15c.

Mammoth Mum—Soft yellow, Chrysanthemum-like blooms about 4 in. wide which will grace the garden from Aug. until frost. "A-A" Hon. Mention 1944. Pkt. 15c.

Naughty Marietta—Single, delightful golden-yellow flowers blotched with maroon. 2½ in. across. Pkt. 15c.

Harmony Type, French Tall Single, Ferdinand—Brown rays and golden tufts. Pkt. 15c.

Spry—1941 "A-A." Extra dwarf double French type; 1½-in. Clear yellow crested center, mahogany-red guard petals. Blooms in 9 weeks. Pkt. 15c.



GODETIA

RUDBECKIA

STATICE

Ht.

60-96"

36"

24-48"

24"

15"

15"

48"

Ht.

36-48"

48"

36"

18-24"

6-12"

24"

Var.

24"

3-7"

18"

24"

24"

12"

4-5"

Var.

30"

6-10"

30-36"

24-30"

24-30"

12-14"

9"

HOW? WHEN? WHERE? WHY?

EASIEST ANNUALS TO GROW

We are often asked to recommend annuals for growing without much care, particularly around summer cottages used only on week ends, or where the soil is poor. We suggest *Calliopsis*, *Gaillardia*, *Marigold*, *Petunia*, *annual Phlox*, *Scabiosa*, *Verbena* and *Zinnia*. These usually bloom profusely without care or extra watering, though some water applied when seed is sown will often insure germination.

ANNUALS FOR FALL BLOOM

By midsummer, many spring-sown annuals have seen their best days. While *Petunias* can be cut back to force new bloom, others can be replaced by sowing new seed late in June among the old plants. Try *Calendula*, *Candytuft*, *Celosia*, *Eschscholtzia*, *annual Phlox*, *Sweet Alyssum*, and *small flowered Zinnias* for this purpose. These late-sown annuals will need extra watering to germinate and grow. The *Alyssum* and *Candytuft* often survive early frost and keep flowering along with the hardy Mums.

ANNUALS FOR EDGING

Low growing annuals planted at the edge of a garden make it look neat and finished. The best plants for this purpose are *Sweet Alyssum*, *Ageratum*, *dwarf Marigold*, *dwarf Petunias*, and *Zinnia linearis* or *mexicana*. Edging annuals should be pinched back once to keep them especially low.

ANNUALS FOR FRAGRANCE

We are often asked, "What annuals are really fragrant?" We recommend *Alyssum*, *Candytuft*, *Carnation*, *Mignonette*, *Gleam Nasturtiums*, *Nicotiana*, *Petunia*, *Scabiosa*, *Stocks*, *Sweet Peas* and *Wallflower*.

Flowers for shady locations

Most annuals need plenty of sunlight, but there are a few which do fairly well in the shade, or with partial sun. The following are worth a trial in shady spots:

<i>Cornflower</i>	<i>Candytuft</i>
<i>Nasturtium</i>	<i>Larkspur</i>
<i>Pansy</i>	<i>Lupine</i>
<i>Nicotiana</i>	<i>Godetia</i>
<i>Vinca</i>	<i>Lobelia</i>
<i>Coreopsis</i>	<i>Bleeding Heart</i>
<i>Cleome</i>	

In the *vine group*, those which often prosper in fairly shady places are *Cardinal Climber*, *Cup-and-Saucer Vine*, and *Morning Glory*.

Flowers for hot, dry locations

In spots where the sun beats down mercilessly all day long, many flowers can not prosper. But some of the annuals can do well, even in these difficult locations. Here's a good list:

<i>Sweet Alyssum</i>	<i>Petunia</i>
<i>Ageratum</i>	<i>Phlox, Annual</i>
<i>Swan River Daisy</i>	<i>Poppy, California</i>
<i>Bachelor Button</i>	<i>Portulaca</i>
<i>Cosmos</i>	<i>Scabiosa</i>
<i>Dianthus</i>	<i>Zinnia</i>
<i>Dimorphotheca</i>	<i>Four O'Clock</i>
<i>Gaillardia</i>	<i>Salvia</i>
<i>Marigold</i>	

Perennials for hot locations are less plentiful, but you can usually do well with *Babysbreath*, *Perennial Asters*, *Sedum Acre*, *Statice*, and *Blanket Flower* (*Gaillardia*).

Flowers for poor soil

Of course, the right answer to poor soil conditions is "Improve the soil!" But if you can't or don't want to do this, you can usually get fairly good results in poor soil with these:

<i>Amaranthus</i>	<i>Marigold</i>
<i>Balsam</i>	<i>Nasturtium</i>
<i>California Poppy</i>	<i>Petunia</i>
<i>Calliopsis</i>	<i>Portulaca</i>
<i>Gaillardia</i>	<i>Sweet Susan</i>

For successive sowings

Some of the annuals which come into bloom quickly keep blooming for only a little while. If you want them in bloom through the season, make several successive sowings at two to four week intervals. Flowers in this class include:

<i>Calliopsis</i>	<i>Larkspur</i>
<i>Candytuft</i>	<i>Love-in-a-mist</i>
<i>Cornflower</i>	<i>Mignonette</i>
<i>Forget-me-not</i>	<i>Poppy</i>
<i>Gypsophila</i>	

Do Annuals and Perennials Need Lime?

Yes, flowers need calcium, which limes supplies. However, it is possible to get too much lime. Soils that have a pH of much over 7.2 may need something to make them more acid. While the term pH seems mysterious, actually it is nothing more or less than a measuring scale, just as a thermometer is a scale for measuring temperature. From 0.0 to 6.9 is acid or "sour," while 7.0 and above is alkaline or "sweet." All the gar-

dener needs to know about pH is that if he will keep his soil between 6.0 and 6.9, the plant food elements in his soil will be most readily available. Above that, iron, sulfur and other elements lock up and are not available. Below that, other elements, principally calcium, cannot be used by plants. A simple \$1.00 soil test kit will give you a pH reading of your soil and tell you what to do to correct it.



ASTER, Wilt-resistant



ANTIRRHINUM, Semi-tall



AQUILEGIA, Long-spurred



CHRYSANTHEMUM, Painted Daisy

DIANTHUS, Lacy Single



Sunkist—1943 "A-A." Dwarf, compact, very early. Continuous blooming. Mound-shaped plants. Flowers 1½-in. across. Pkt. 25c.

Yellow Supreme—Sweet-scented, 3-in. blossoms.

Yellowstone, Mission Giant—"A-A" 1942. Late. Pkt. 20c.

MIGNONETTE, Sweet Scented (a)—Culture I. Cover 1/16-in. Dwarf, fragrant, long blooming.

MOON FLOWER (a)—Culture VII. Cover seeds ¼-in. Plant in a sunny location. Quick-growing vine with pure white flowers, 5 to 6-in. across, that open in evening and on cloudy days. Fragrant.

MORNING GLORY (a) (Impomoea)—Culture III. Cover ¼-in. Heavenly blue. Quick growing. Extremely large blue flowers. Long blooming. Pkt. 15c.

Scarlett O'Hara—"A-A" 1939. Rich wine-red or deep crimson blossoms about 4-in. Pkt. 15c.

Pearly Gates—1942 "A-A." Unusually large white flowers, luxurious foliage. Plant with Heavenly Blue and Scarlett O'Hara for red, white and blue effect. Pkt. 15c.

Tall Mixed—Large-flowered strain. Many colors.

MOSS ROSE—See Portulaca.

MOURNING BRIDE—See Scabiosa.

NASTURTIUM (a)—Culture III. Cover ½-in. Prefers sunny location. Thrives in poor soil.

Dbl. Glorious Gleam Hybrids—Sweet scented. Long stems. Compact habit. Many colors.

Golden Gleam—Double and semi-double fragrant gold blossoms, semi-tall plants.

Golden Globe (Dwarf Dbl.)—Color like Golden Gleam.

Scarlet Gleam—Fiery red.



CALENDULA Shaggy

STOCKS Double Giant

TITHONIA Fireball

Single Tall or Climbing—Good for covering fences or trailing over rockwork. Wide color range.

NEMOPHILA (Baby Blue Eyes) (a)—Culture II. Dwarf, spreading plants; sky blue flowers.

NICOTIANA (a)—Culture I. Cover 1/16-in. Long tubed, petunia-like blossoms pour rich, spicy fragrance over the garden morning and evening.

PAINTED TONGUE—See Salpiglossis.

PANSY (a)—Culture VI. Cover ½-in. Swiss Giants—Long-stemmed. Fine for cutting. Pkt. 50c.

PETUNIA (a)—Culture I. Cover 1/16-in. Blooms summer and fall.

All Double, America—First American all-double, carnation-flowered petunia. Lovely mauve-pink, 2 in. blooms on dwarf plants. "A-A" 1946 Silver Medal. Pkt. 15c.

Burgundy—A rich wine red with contrasting white throat. Single plain edged.

Cheerful—Gay salmon-pink single blooms veined with rose towards their throats. Compact, dwarf plants a mass of flowers. "A-A" 1944 Bronze Medal. Pkt. 15c.

Dainty Lady—"A-A" 1936. Large, single fringed, yellow, ringed gold and cream; compact plants. Pkt. 35c.

Flaming Velvet—Dark red, single, plain edged. Pkt. 15c.

Fluffy Ruffles—A delightful mixture of delicate light shades. Finely fringed and very heavily ruffled so that they appear double.

Giants of California, Mixed—A well balanced mixture of large fringed and ruffled flowers of light and dark shades. Suitable for window box or potting.

Glamour—1942 "A-A." Huge 5-6-in. blooms; appear when plant only 5 to 6-in. tall. First appear double, then petals fall back, exposing throat. Pkt. 25c.

Glow—Sparkling, carmine-red flowers growing in profusion on bushy plants. "A-A" Silver Medal. Pkt. 15c.

Rose of Heaven—Rose, with inconspicuous light throat. Single flowers. Dwarf plants.

Ht.

10"

15"

12"

Var.

30-36"

60"

36"

6"

30-36"

6"

Var.

24"

24"

24"

24"

24"

24"

24"

24"

24"

24"

24"

18-24"

All Flower Seeds 10¢ PER PACKET
except where otherwise noted

Rose Marie—Large, double flowers of rose-pink. Dwarf, free blooming plants. "A-A" Bronze Medal. Pkt. 15c.

Ht.

Rosy Morn—Medium sized rose-pink flowers, white throat. Pkt. 15c.

12"

Single Fringed, Mixed—Excellent mixture of rich bright colors. Medium size and erect growing.

Single, Plain Edged, Mixed—Special mixture, light and dark shades.

Single, Plain Edged, White—Pure white dwarf.

Theodosia—Flowers 3 to 3½-in., rose with gold throat; single fringed. Flowers when plant very small. Pkt. 25c.

PHLOX (a)—Culture II. Cover ½-in. Prefers sun. Thrives in almost any soil.

Var.

Art Shades—A wonderful range of soft shades. Light and deep salmon with cream eye, pale violet and soft rose with white eye. A beautiful assortment.

Rosy Morn—A bright color combination of deep rose pink with a white eye. A free bloomer.

Salmon Glory—A deep salmon with cream eye.

POPPY (a)—ANNUALS: Cover ½-in. Grow freely in almost any soil. Prefer sun.

Var.

California—See Eschscholtzia.

Iceland Mixed (hp)—Culture VII. Blooms first year. Excellent color balance. Immense blooms and very long stems. Pkt. 15c.

30-36"

Shirley Mixed—Ruffled edges, large blooms.

PORTULACA (Moss Rose) (a)—Culture III. Cover ½-in. Thrive in sunny location and light soil. Fine for mass planting, edgings.

60"

Double Mixed—Pkt. 15c.

Single Mixed—

POT MARIGOLD—See Calendula.

RICINUS—See Castor Bean.

RUDBECKIA (Coneflower) (a)—Cheerful colored blooms with Daisy-like petals. Grow rapidly from seed during the Summer and Fall and become 1½ to 3 feet tall. Good for cutting.

SALPIGLOSSIS (Painted Tongue) (a)—Culture II. Cover 1/16-in. Blooms midsummer to frost. Large lily-like, velvety flowers, many bright colors.

30"

SALVIA (Flowering Sage) (hp)—Lavender-blue flowers. Blooms first year and last until frost. Pkt. 15c.

36"

Red—The popular Salvia color.

SATIN FLOWERS—See Godetia.

SCABIOSA (a) (Mourning Bride)—Culture II. Cover ½-in. Early summer to frost.

Blue Moon, Imperial Giants—Double flowers, resembling old-fashioned bee-hives. Lavender blue. "A-A" 1939. Pkt. 25c.

30"

Rosette—Very large; rose, flushed with salmon. Pkt. 15c.

Mixed—

SCARLET FLAX—See Linum.

SCHIZANTHUS (Butterfly-flower or Poor-Man's Orchid) (a)—Culture II. Cover ½-in. Flowers like tiny butterflies, pastel shades, finely lacinated foliage.

24"

SHASTA DAISY, Alaska (hp)—Culture VI. Cover ½-in. White single blossoms, 4 to 5-in. across, with small yellow centers, long stems.

24"

SNAPDRAGON—See Antirrhinum.

SNOW-ON-THE-MOUNTAIN (Euphorbia) (a)—Culture IV. Cover ½-in. Foliage edged with white.

24"



COREOPSIS Sunburst

ESCHSCHOLTZIA Single

SCABIOSA Blue Moon

HOW TO GROW all flowers listed in this catalog

FOLLOWING ARE THE CULTURAL DIRECTIONS INDICATED
BY THE KEY NUMBER, WHICH APPEARS FOR EACH FLOWER

CULTURE I

Seeds give best returns if sown in flats in early spring, but good results may be obtained by sowing outdoors after all danger of frost is past. Sow seed at depth indicated under flower descriptions. Water thoroughly with fine spray and place in warm room; watch flats carefully and never let soil become dry. When seedlings appear, remove flats to sunny window. Transplant to other flats as soon as they are large enough to handle, keeping them 2" to 2½" apart both ways. Expose gradually to outside conditions and, when sufficient growth has been made, plant in permanent outside locations. For sowing outdoors, follow instructions given in Culture II.

CULTURE II

May be sown in outside seed-beds and later transplanted, or directly into their permanent location. Spade seed-bed deeply, mix well-rotted manure, or peat moss or humus and a commercial fertilizer, well into the soil; spread an additional half inch of peat moss or humus on seed-bed, and rake well into top surface. Sow seeds at depth indicated, and water thoroughly with a fine spray. When large enough, transplant or thin out. If exceptionally early flowering is desired, follow instructions under Culture I.

CULTURE III

Seeds do not take kindly to transplanting and should be sown outdoors, as soon as danger of frost is over, in beds they are to occupy. Prepare seed-bed

same as Culture II. Level off and sow seeds thinly at depth indicated; water thoroughly with a fine spray. After seedlings appear, thin out.

CULTURE IV

Seeds under this culture, being quite hardy, may be sown outside in very early spring, as frosts do not affect their growth to any extent. The seed-bed should be spaded deeply, and fertilizer mixed thoroughly with the subsoil. Plant at depth indicated, and water thoroughly with a fine spray. When large enough to handle thin out and transplant. For very early plants, sow in fall, leaving plants to winter in their beds.

CULTURE V

Sow in flats in early spring if for the garden; or during the summer if you wish to cultivate them in pots for house decoration. Sow seeds to depth indicated, and water thoroughly with a fine spray. Place in a warm room. As soon as seedlings appear, remove to a sunny window. When large enough to handle, transplant into other flats to stand 2" apart in rows. Transplant outdoors when all danger of frost is past. If for house decoration place in larger pots.

CULTURE VI

May be sown in early summer in flats or coldframes at the depth indicated. Water thoroughly with a fine spray. Place in a warm room and as soon as seedlings appear, remove to a sunny window. When large enough to handle, transplant into other flats, spacing seed-

lings 2" to 2½" either way. Later, when they begin to crowd, transplant them a second time. In fall, if well developed, they may be placed in their permanent locations where they are to blossom the following year, or left in the seed-beds for early spring transplanting. **Note:** Only a few varieties under this culture will produce flowers the first year, and all will benefit by winter mulch or protection at least the first season. Seed may be sown in the open, after danger of frost is past, in a seed-bed in which the top soil is finely pulverized and mixed with peat moss or humus. Raise seed-bed several inches above the rest of the garden to prevent seeds being washed out. When plants are sufficiently large, place them in their permanent locations.

CULTURE VII

Best sown indoors in early spring directly into small pots. Fill the pots with a mixture of good garden soil, composed of two parts soil and one part humus, to within a half inch of the edge of the pot. Firm the soil and place one or two seeds at the depth indicated. Take an ordinary seed-flat, fill with moist peat moss, and plunge the pots into this up to within a half inch of the edge. Water pots thoroughly. Place in a warm room and as soon as seedlings appear, remove to a sunny window, gradually exposing them to outside conditions. When all danger of frost is over remove from pots without destroying the root-ball and plant in their respective places outdoors. If advanced blooming is not desired, seeds may be sown outside as soon as warm weather sets in.

STATICE (Sea Lavender) (a)—Culture I. Cover ⅛-in. Seed germinates very slowly. Masses of dainty flowers in large panicles, giving a mist-like effect. When dried, flowers last for months.

STRAWFLOWER—See Everlasting.

STOCKS (a)—Culture I. Cover ⅛-in. Bloom all summer. Like rich soil, moisture, shade in hot months. **Giant Imperial**—Large flowers, long stems. Very early; many doubles. Pkt. 25c.

Ten Week Stocks—Double, rosette-like, fine stems.

Beauty Mixed—

SUNFLOWER—See Helianthus.

SWEET PEAS (a)—Sow very early. Dig trench 1-ft. wide and deep. Place 6-in. rotted manure or peat moss mixed with manure, on bottom, tread down firmly. Fill with good garden soil. Sow one row of Sweet Peas ¾-in. apart. When plants are 3 to 4-in. high, thin to 6-in. apart and provide supports. Need plenty of water; and mulch of peat moss when warm weather approaches. Pick flowers daily.

Early Flowering Spencer—Individual colors and mixed. Can be grown either inside or out of doors.

Late or Summer Flowering Spencer—Individual colors, mixed. Extremely hardy, productive, and more heat resistant than other varieties.

Ruffled Spencer—Individual colors, mixed. Contains many varieties in a perfect blend of color.

TICKSEED—See Calliopsis.

TITHONIA, Fireball (a)—Culture I. Cover ⅛-in. Blooms in late summer. Dazzling scarlet, large single flowers. Plant very tall.

TRITOMA (Red Hot Poker) (hp)—Striking red spires of bloom from August on. Continuous blooming.

VERBENA (a)—Culture I. Cover seeds ⅛-in. Dwarf plants with very large heads.

Mammoth White—

Scarlet—

Shades of Blue—

Mixed—

Ht.

18"

24"

72-96"

36"

15"

WILD FLOWER MIXTURE—Splendid mixture of old-fashioned garden flowers, various kinds and colors, for interesting border planting.

ZINNIA (a)—Culture III. Cover ⅛-in.

Black Ruby—1941 "A-A." Deep velvety maroon. Lilliput or Pompon zinnia, 1¼-in. flowers, long stems. Effective used with lighter colors. Pkt. 15c.

Crown of Gold—Giant flowers, petals deep golden yellow at base, with individual colors at tip. Pkt. 15c.

Dahlia Flowered—6-in. blooms. Most satisfactory Zinnia. Yellow, red, pink, orange. Pkt. 15c.

Fantasy—Great masses of shaggy twisted petals.

Melody (orchid-lavender), pkt. 15c; **Star Dust** (clear golden yellow), pkt. 15c; **Wildfire** (rich scarlet), pkt. 20c;

White Light (pure white), pkt. 15c; **Mixed**, pkt. 10c.

Giants of California—Huge blossoms. Colors. Mixed.

Harmony Type, Mixed—Bearing numerous medium sized flowers. Fine mixture contains bright shades such as crimson, orange, yellow, pink and white.

Lilliput—Straight-stemmed midget pompons. Red, yellow, pink, white, orange and mixed.

Lilliput Pastel Mixture—Pompons 1 to 1½-in. Variegated pastel colors.

Linearis—Single. Golden-orange, lemon yellow stripe, brown centers. Dwarf plants. Pkt. 15c.

Mexicana—Miniature yellow, orange and mahogany flowers, frequently variegated. Single and double.

Navajo Mixed—Bi-colored. Medium sized flowers. "A-A" 1938. Pkt. 15c.

Pumila Sunshine Tints—Symmetrical 2½ to 3-in. flowers, in luscious autumn tints and pastel shades. Very free flowering. Long stems, fine for cutting. Pkt. 15c.

Scabious Flowered—Large semi-globular crown, surrounded by fringe of petals. Pkt. 15c.

Super Crown-O'Gold, Pastel Tints—Flowers 5 to 5½-in. Wide range of pastel shades. Pkt. 25c.

Will Rogers—A striking new red. Very robust plants, literally loaded with blooms 6 inches across, and often 4 inches in depth, resembling the Show Dahlia.

Ht.

18"

24"

30-36"

24"

36"

36"

12-18"

12"

12"

30-36"

30-36"

30-36"

30-36"

30-36"

30-36"

30-36"

30-36"

27

Flower Garden PLANTING GUIDE

KEY—For classification of flowers by purpose, location, etc., see the second column below. The meaning of the key letters in this column is as follows:

- A—For dry, hot locations
- B—For a succession of blooms
- C—For shady locations
- D—For poor soil
- E—For edging
- F—For the rock garden.

- G—For their foliage
- H—Everlasting for winter bouquets
- I—For their fragrance
- J—For porch or window boxes
- K—Climbing Vines
- L—For backgrounds

	Height (Inches)	Suitable for	Average Days to Germinate	Approx. Time of Bloom	Shape of Plant						
Ageratum	4-12	E F J	5-10	10 Wks.	bushy	Four O'Clock	24-30	A D	5-10	3-4 Mos.	bushy
Alyssum, Sweet	2-12	B C D E F I J	5-10	6 Wks.	spreading	Gaillardia	18-30	D	15-20	2-3 Mos.	bushy
Antirrhinum	12-60	C I L	20-25	3-4 Mos.	bushy	Godetia	12-24	C D	15-20	2 Mos.	erect
Aquilegia	18-36	C E F	15	3 Mos.	branchy	Gypsophila	18-36	B H	15-20	8-10 Wks.	branching
Balsam	14-20	A E	10-12	6 Mos.	erect	Helichrysum	24-36	H	5-10	3 Mos.	bushy
Calendula	12-36	D	10-14	12-14 Wks.	bushy	Hollyhock	48-84	L	5-20	10 Wks.	slender
Campanula	18-24	F	8-15	10-12 Wks.	bushy	Kochia	30-36	A B	15-18	Foliage	bushy
Candytuft	6-18	B F I	5-10	8-10 Wks.	bushy	Larkspur, Annual	30-72	L	15-20	10-12 Wks.	tall
Centaurea	18-36	A B C D E I J	5-20	3-4 Mos.	erect	Lathyrus	60-72	I K	25-40	2-3 Mos.	vine
Chrysanthemum	24-36	A E	5-20	8-10 Wks.	bushy	Labelia	4-8	E J	10	10-12 Wks.	bushy
Celosia	12-36	D E H	20-25	10 Wks.	bushy	Marigold	8-36	B J	5-8	6-8 Wks.	bushy
Cosmos	36-60	A	10-20	4-5 Mos.	bushy	Mignonette	10-12	B I		3-4 Mos.	erect
Coreopsis	18-36	A B D	10-20	4-5 Mos.	bushy	Moon Flower	12 ft. or more	I K	5-8	4-5 Mos.	vine
Dahlia, Dwarf	14	F	10	3-4 Mos.	bushy	Morning Glory	12 ft. or more	A K	5-8	3-4 Mos.	vine
Delphinium	36-72	L	15-21	3-4 Mos.	tall	Nasturtium	12-36	D E F K	8-15	2-3 Mos.	bush, vine
Digitalis	30-48	F	10-20	3-4 Mos.	erect	Nigella	10-18	B F	10-15	10-12 Wks.	bushy
Dianthus	4-15	F I	5-10	12 Wks.	bushy	Nicotiana	30-48	I	20-25	10-12 Wks.	branchy
Eschscholtzia	10-12	C D F	5-12	12-15 Wks.	bushy	Pansy	4-8	C E F	10-15	10-12 Wks.	clump
						Petunia	10-24	D E F J	18-20	10-12 Wks.	bushy
						Phlox	10-18	A B C F I J	25-25	8-10 Wks.	bushy
						Poppy	18-36	B	20	12-15 Wks.	erect
						Portulaca	4-6	A D E F J	18-20	6 Wks.	spready
						Salvia	12-42	A	15-25	3-4 Mos.	bushy
						Scabiosa	18-30	I	18-20	2-3 Mos.	bushy
						Stocks	12-24	I	5-15	12-14 Wks.	bushy
						Schizanthus	18-36	C E	20-25	6-8 Wks.	bushy
						Sweet Pea	36 or more	K	15-20	10-12 Wks.	vine
						Sweet William	12-24	F	10	12 Wks.	bushy
						Verbena	6-12	E F J	8-10	12 Wks.	spready
						Wallflower	12-18	I	5-12	2-3 Mos.	bushy
						Zinnia	12-36	A F	5-10	6-8 Wks.	bushy



PETUNIA, All Double

In your flower garden the world is always at peace. No matter how troubled the days, flowers are happy companions to which you may always turn for friendship and true contentment.

So this year, of all years, make your garden the garden of your dreams.



MARIGOLD, Sunkist



COSMOS, Dazzler



LARKSPUR, Ruby



PETUNIA, Glow

NEW HELP for your battle with the BUGS

Ever since the first garden was planted, the fight between gardeners and insects has gone merrily along.

But nowadays that fight is growing easier, year by year. Just reasonably good strategy is all the gardener needs to win.

A New Weapon

To make the job even easier, we present here a highly valuable new anti-bug weapon. This is our series of *natural color portraits* of the common garden enemies (at the right).

For the first time in any seed catalog, these pests are fully pictured in their exact coloring, so that you can recognize them at a glance.

To Beat Them, KNOW THEM!

These unique pictures have just one purpose—to help you identify the pests in your own garden.

Once you know exactly which insect you are fighting, the job is easy. There's a proper insecticide for every one of them.

That's where our new color pictures are so extremely useful. When you have these life-like portraits before you, identification is easier and more certain than ever!

Ask Us for the Remedy!

To link up each bug with the insecticide that will handle him, JUST ASK US. We know, from long experience, which formula is best for each situation—and we have it on hand, ready for you.

So—with this new weapon at hand, let's work together. You identify 'em! We'll prescribe for 'em! And from then on, Mr. Bug will have a pretty bad time of it.

For insecticides SEE THE SEEDSMAN!

You can buy insecticides in many types of stores.


But there's only one type of store where the necessary KNOW-HOW goes along with the merchandise.

A good seedsman isn't only a merchant. He's a garden doctor, always on the job to help you make your home more beautiful, more fruitful. He KNOWS!

Therefore, plain common sense says, "FOR INSECTICIDES SEE THE SEEDSMAN!"

May we introduce... YOUR ENEMIES!

We are proud to present—for the first time in any seed catalog—a series of true natural color portraits of common garden insects. USE THESE PICTURES to identify pests in your garden. Report them to us by name. We'll prescribe the right insecticides!



Cutworm—1-3/4"

Tomato Hornworm—3" to 4"

Cabbage Worm—1"

Giant Slug—4" or more

Japanese Beetle—1/2"

Mexican Bean Beetle—5/16"

Asparagus Beetle—7/32"

Potato Beetle—3/8"

Potato Flea Beetle—1/16"

Bean Weevil—1/8"

Chinch Bug—3/16"

Tarnished Plant Bug—1/4"

Red Spider Mite—1/60"

Rose Chafer—3/8"

Beet Leafhopper—1/8"

Melon Aphid—3/32"

Bean Aphid—3/32"

Squash Bug—5/8"

Sow Bug—1/2"


Mealy Bug—3/16"

Gladiolus Thrip—1/16"

San Jose Scale

Corn Earworm—2"

Oyster-shell Scale



BULBS and TUBERS for Spring Planting

GLADIOLUS

Bagdad—Smoky old rose, lighter throat. Very large. 6 to 8 florets on tall, straight spike. Late.

Barcarolle—Notable for the clearness of its clean, gleaming orange. Florets are large and decidedly ruffled. Spikes long and strong.

Beacon—Brilliant, clear, dark rose, with a pronounced blotch. Florets slightly waved and ruffled. One of the best.

Betty Nuthall—Coral-pink, yellow throat markings. Florets of fine texture, large, strong spikes.

Bit o' Heaven—Medium-sized florets of orange with a yellow throat. Tall and straight with 9 to 12 flowers.

Blue Beauty—Exceptionally lovely variety. Medium blue florets, shading to darker blue or violet at edges. Large blooms on tall, strong stems.

Commander Koehl—Fine red. Tall spike. Florets very large, dark scarlet without markings.

Dr. F. E. Bennett—Fiery orange-scarlet. Very large flowering.

Debonair—LaFrance pink, shading into shrimp pink, creamy throat blotch. 6-8 medium size blooms.

Golden Dream—Clear, golden-yellow flowers, medium size, tall stems, many open at a time. Late.

King Lear—Unusual! Deep reddish purple petals edged with silver. Very large, heavily ruffled flowers.

Margaret Beaton—One of the finest of recent introductions. Large, snow white blooms, relieved by a tiny scarlet-orange spot at the center of the throat.

Minuet—Beautiful, clear light lavender. Considered the best lavender. Very large flower of heavy substance.

Maid of Orleans—Milky white, with light cream throat. Tall spike, 6-8 perfectly placed florets.

Picardy—Rich apricot-pink. Florets extremely large, slightly ruffled and of wax-like appearance.

Pelegrina—Dark blue, 6 or more well placed blooms open with most of remaining buds showing color. Early. Best dark blue.

Red Phipps—Unusual shade of light red. Medium tall, long flower heads. Late mid-season.

Rosa van Lima—Pure self-colored light pink with many flowers open at one time. Strong, straight stem.

Shirley Temple—Newly developed prize winner. Enormous creamy white flower with deeper cream blotch on lower petals. Tall and lovely.

Vagabond Prince—Iridescent mahogany brown, lighter in throat. Small scarlet blotch on lip. 8-10 medium size blooms open at a time.

DAHLIAS

Avalon—Fine form, bright golden-yellow. Blooms freely.

Jersey Beauty—Supreme among pink Dahlias.

Jane Cowl—Deep, massive blooms, buff and old gold petals curled and twisted.

Mrs. I. De Ver Warner—Large blooms, old rose suffused lilac.

Jersey Beacon—Chinese scarlet, lighter reverse. Long stems.

Thomas A. Edison—Gorgeous blooms of rich royal purple.

Kentucky—Salmon-pink with yellow and gold blend.

Monmouth Champion—Huge brilliant orange flowers, perfect stems.

White King—Magnificent large blooms, pure snow-white.

Pompon Dahlias—Charming "button" dahlias that require little care but reward you with gorgeous cut-flowers summer and fall. In mauve, pinks, red, white, bronze, yellow.

CALADIUM

Fancy-leaved Caladium—Few summer foliage plants can equal it for rich, beautiful color and dramatic effect.

Elephant's Ear—One of the largest ornamental plants for beds and borders. Huge green leaves give unusual effect.

TUBEROSES

One of the most fragrant of all flowers. Tall spikes of double waxy blooms borne on tall stems. Spear-shaped, grass-like foliage. Annual replacement frequently advisable.

**Bulbs and Tubers are
A GOOD INVESTMENT!**



CANNAS

King Humbert—Gigantic flowers, orange-scarlet, with bright red markings. Bronze leaved. 5 feet.

Yellow King Humbert—Golden-yellow, dotted red. Green foliage. 4 feet.

President—The best red Canna. Immense flowers of rich scarlet. Green foliage. 4 feet.

Hungaria—The best true pink Canna. Large flower trusses; green foliage. 3½ feet.

Wintzer's Colossal—Largest flowering. Vivid, blazing scarlet. Green foliage. 5 feet.



Know Your Dahlias!



Cactus



Single



Pompon



Formal Decorative



Informal Decorative



Collarette



Anemone Flowered



Peony Flowered

Any reasonably careful gardener can grow dahlias easily and successfully—and enjoy one of the greatest pleasures that flower gardening affords. Dahlia types and forms cover a vast range.

Soil needs of dahlias are no different than those of a good vegetable garden.

Fertilizing calls for nothing more than a good balanced commercial fertilizer.

Locate where they will get at least 6 to 7 hours of sun, with free air circulation.

Culture. Cultivate frequently for about

the first 10 weeks. Do not cultivate when flowers are in bud or bloom.

Allow only one main stalk to grow. When stalk is about 10 inches high, pinch out the center just above the 2nd pair of leaves. When buds appear, pinch out all except the central one. Also pinch out all new lateral shoots except the two nearest the main stalk. This helps produce large blooms on low, bushy plants.

Pick blooms well after sun down to prevent wilting.

HOW? WHEN? WHERE? WHY?

For better bloom from bulbs

GLADIOLUS: Perhaps the most useful of all summer-flowering bulbs. Excellent to fill in places where perennials have died, or where annuals have failed. When used in this way, need no care other than that given the other garden flowers. Do not use extra fertilizer; too much food promotes production of bulbils or offsets at the expense of good bloom and of a sound center bulb.

Gladiolus bulbs can be planted at any time from earliest spring until July first (if sound bulbs are on hand that late). Before planting, treat bulbs for thrips (ask for information). In light soil, plant 5" to 6" deep. This will help support the flower spike which might otherwise fall over. In heavy soil, 4" deep is correct. If planted too shallow, more bulbils will be produced, but not as good flowers. Space 6" apart in rows 24" apart, though for smaller, older sorts, 4" may be enough room to allow.

Regular spraying to control thrips is essential wherever this insect pest has been seen. If your flowers fail to develop properly last year, and if the leaves had greyish tan patches on them, this means you had thrips, and will have them again unless you treat. D.D.T. has proved a perfect control for this pest.

DAHLIAS: Perhaps our most spectacular fall flower, the Dahlia should not be planted too early, as the flowers will not do well in warm weather. Do not, however, keep tubers later than June 1st, since by that time they usually start shriveling and may be injured if kept later. Dahlias need plenty of potash and phosphorus. If you apply the 25 to 30 lbs. of mixed fertilizers recommended for general use before planting, then additional feeding of potash and phosphorus will still be needed to produce firm tubers that will keep over winter, healthier plants and better bloom.

Leaf hoppers which carry disease and which also injure the plant by sucking juice from the leaves and stems are easily controlled by regular dusting or spraying with D.D.T. Mulching with straw, excelsior or some other airy, light material will help keep the soil moist and cool. Don't use leaves or grass clippings that mat down and pack—they hold in too much moisture.

FANCY LEAVED CALADIUMS: These spectacular foliage plants are particularly valuable because they do well in shade. Start them in a mixture of half sand and half leaf mould at a temperature of over 70°. When the roots are well-developed and the shoot is beginning to show, pot up in rich

soil. Set out in the garden when weather is warm and settled. Elephant ears can be planted directly in soil out of doors, but the weather must be warm and settled, otherwise they will rot.

TUBEROSE: This warm-weather bulb should be planted in rich soil, with 2" of soil over the tip after the weather is warm and settled. Do not try to save the bulbs: these must be grown by a specialist if they are to bloom well. Buy new bulbs each year.

CANNAS: While cannas will tolerate cold soil, they usually do not start growing until hot weather comes. Plant when the apple blossoms appear, in rich soil. If planted in round beds, you will need 37 plants for a 10 foot bed (18 plants on the outside, 12 in the second row, six for the third row and one in the center). A 7 foot bed will use 19 plants, with 12 plants on the outside row, six for the middle row and one plant in the center.

LILIES: Even the swamp lilies will not tolerate wet feet; all must have perfect drainage. Yet they like a moist, cool soil. This means that liberal quantities of old well-decayed compost is almost essential for lilies. They will not tolerate lime; your soil should have a pH of 6.5 or below if you want to grow good lilies.

Time and labor saving in your garden

How long is a shovel?


The choice of a digging tool is a matter of personal preference, but those who have not used the long-handled, round pointed shovel should try this tool. Because of its long handle, it gives greater leverage, which means less work for the back and arms of the digger. While it is called a shovel and can be used for shoveling loose soil, it is equally good for spading and turning over the soil. Many professional gardeners use it as a cultivating tool for working under shrubs because they can shove it under like a scuffle hoe and cut off tall weeds that cannot be cut easily with a regular hoe.



For breaking up heavy clay soils, many gardeners like a spading fork. The tines go in easier and the clods tend to break easily when pried out.

Consider the "onion" hoe

Every gardener needs a good hoe, and preferably two. While the regular field or garden hoe has millions of friends, the square top onion hoe will do more types of work, weighs less and still do everything the field hoe will. This onion hoe has a blade less than two inches high, hence it does not move a mass of soil. Soil flows over it easily, reducing the effort needed to use it. Because of its narrow width, the end can be used to thin plants in the row. The steel scuffle hoe is a tool preferred by professional gardeners for weeding and mulching. With it, they can work backwards, so it is not necessary to walk over the soil already prepared. Because the blade lies flat on the soil and the dirt flows over it, much less force is needed than with even the onion hoe.



A matter of necessity

For deeper cultivation, the five-pronged garden cultivator with long handle will do practically everything a wheel hoe cultivator will, though not as rapidly. It is the logical tool for the smaller

garden. It should not be used too late in the season, however, after plant roots have begun to spread out between the rows.



Two trowels are better than one!

A good trowel is an essential tool. A cheap trowel is money wasted: it will bend and break at just the crucial moment. Buy the best trowel you can afford: it will give you pleasure in use for many many years. If you have only one trowel, it should be the wide type, big enough to dig a good sized hole for a tomato seedling. If much transplanting is to be done, the narrow bladed trowel is useful.

Flat-head vs. bow end rakes

With end of the war, bow end rakes are coming back. While more costly to make than the flat-head rake, they are so much more efficient that the latter should only be used when low cost is a factor. The bow-end rake has the weight balanced better, so is easier to use. Also, the bow adds flexibility and gives "spring" to the pull of the teeth.



Planks come in handy!

A garden "tool" not ordinarily thought of is a good solid board or plank. When working on soft soil, a 2" x 12" plank several feet long can be used to stand on, and will avoid compacting the soil. During hot summer weather, when late vegetable seeds are sown, lighter boards are useful to cover the row. These keep in moisture, keep out heat and speed up germination. (Examine the row every day and remove at the first sign of growth.)

See Our Expert—He Knows!

Space does not permit us to cover all of the tools and equipment, we have, which you will find helpful. Before selecting a garden cart, a wheelbarrow, a sprinkler, spreader or plant setter, etc., consult our experienced gardener. He will advise you on the type best suited to your needs.



REPORT on the supply situation

To customers who inquire about the garden supply situation for this spring, we can report,

"Things are looking up, thank you!"

In many lines of garden equipment, supplies are just about normal. In other lines, there are still shortages, but only a few of them are serious.

You'll still encounter a few disappointments when you do your garden shopping this spring. But they won't be many. And you may be sure we're doing our best to eliminate them.

"PRICES subject to change"

As is usual in seed catalogs, we must notify you that *prices are subject to change without notice.*

This year, however, we must put special emphasis on this statement. The price situation is uncertain on many items. We shall, of course, make every effort to maintain our listed prices. But we cannot promise to do it completely.

WHY folks like to buy Garden Supplies HERE

We don't have any monopoly on the Garden Supplies we sell. Quite a few of them can be bought in many other stores.

But good gardeners still prefer to buy here, because this is a real garden store. Here every transaction is a friendly deal between gardeners. Here we try our best to deliver something more than just merchandise.

That's because we're SEEDSMEN—and proud of it!

**FOR GARDEN SUPPLIES,
SEE THE SEEDSMAN!**

GARDEN SUPPLIES

BIRD HOUSES AND FEEDERS

Bird Houses—A great deal of pleasure can be derived from the birds that will be attracted to your yard by putting out a bird house or two. We carry many types and styles for bird lovers to choose from.

Window Bird Feeders—Provides an opportunity to study your bird companions from your window. Ideal for shut-ins and a real form of companionship for any person who is fond of birds.

WILD BIRD SEED MIXTURE

Feed your feathered friends the year round with this tempting mixture. All types of wild birds relish this seed. Don't forget to give them plenty in the winter months when food is scarce.

"EROSIONET"

Strong, open-mesh fabric used in making new lawns where protection of young grass is desirable. Will hold soil and prevent washing and loss of turf on steep banks. Also used for supporting sweet pea vines and shading cold-frames or perennial seed beds. 45 inches wide. 15c per linear yd., 100 yd. strips or more, 12¹/₂c per linear yd.

FLOWER HOLDERS

Dome Type Nev-r-Tip. Heavy cast alloy, non-rusting. 1³/₄ in. diameter, 25c; 2¹/₂ in. diameter, 35c; 3³/₈ in. diameter, 55c.

Pin Type Nev-r-Tip. Constructed with a heavy cast alloy base supporting needle-pointed, solid brass pins closely arranged. Round, 1¹/₂ in. diameter, 25c; Round, 2¹/₄ in., 40c; Round, 3¹/₈ in., 75c.

GARDEN GLOVES

Garden Gloves—Protect your hands—wear gloves in your garden! Canvas or leather, in sizes for men and women.

EZY WEAR GLOVES—So easy to wear, yet give you All-Leather **DIRTPROOF** protection. Durable, economical, washable. Sizes: Ladies' small, med., large; Men's small, med., large. \$1.00.

HOTKAPS

Patented paper hothouses to be used over seeds or plants. Protects from frosts, storms and insects. Ripens crops earlier, increases yield. Easy to set. 25 for 50c; 100 for \$1.95; 250 for \$3.50.

GARDEN HOSE

VISIT OUR STORE for our newest offerings. Garden hose is now available in good quality and quantity.

Ask about new, improved hose reels, too.

DOES YOUR DOG ITCH? SCRATCH?

Don't Blame Fleas, Mange or Diet... 2 to 11's "Fungitch"
Amazing New Sulfodene Eliminates Canine Skin Infection Long a Puzzle to Science

IF YOUR dog or cat scratches, it probably has "FUNGITCH"... a fungus infection caused by contact with mouldy grass and weeds. "FUNGITCH" starts as an itch... then leads to dandruff-like scales or sores with brownish edges, mouldy odor—or infection in ears, on paws, underbody, tail or eyes... resulting in something more serious, expensive care, or actual loss. Treatment of 3,121 dogs and cats—at Dr. Merrick's Animal Hospital—reveals SULFODENE stops itching quickly, clears up sores in a few days. To relieve your pet apply SULFODENE externally at first sign of "FUNGITCH." Only \$1.00 for generous treatment. Guaranteed.

DR. MERRICK'S SULFODENE

HOSE COUPLING

Hose Coupling (Plastic Clincher)—This easily attached, heavily plated connection grips the hose tightly. Leak proof. Dark green. Each 35c; doz. \$3.50.

Hose Mender (Plastic Clincher)—Green plastic. Easily and securely attached. Each 15c; doz. \$1.50.

LABELS

Pot or Garden Labels (Wooden)—Used for marking plants in pots or seed flats.

4 in.	50c per 100
6 in.	65c per 100
8 in.	\$1.20 per 100
12 in.	1.25 per 100

Wood Tree Labels, Wired. Painted wooden labels equipped with wires, for marking trees or shrubs; also used extensively for labeling dahlia tubers.

3 ¹ / ₂ x 5 ⁸ / ₁₆ in.	100	1000
	\$0.65	\$3.80

Metal Plant Markers. Permanent metal labels, green enameled. 7 in. long, with white marking space 2¹/₄ in. by 1¹/₈ in. 12 for \$1.00; 25 for \$2.00; 100 for \$7.00.

PLANT BANDS

Square bands will hold almost twice the number of plants as round pots of the same size. Facilitate handling when transplanting.

	Doz.	100
2 in.	\$0.10	\$0.65
2 ¹ / ₂ in.12	.75
3 in.15	.90

PLANT SUPPORTS

Dahlia or Garden Stakes—Wooden—Painted green. Strong and durable. Almost rot-proof. Will last several seasons. For supporting dahlias, young trees, etc.

	Doz.	100
4 ft.	\$1.95	\$12.00
5 ft.	2.50	15.00
6 ft.	2.95	17.00

Wayward Vine Guide and Support. Practical device for training vines on walls. The support consists of small tab with a copper wire hook for holding the vine. The tab is easily cemented into place. Remains indefinitely; not affected by any weather conditions. Available in three colors, Red Gray or White. Box of 25 (including cement) \$1.00.

POTS AND SAUCERS

Standard Earthen Flower Pots. A wide range of sizes, from 2¹/₂ in. to 12 in. diameter.

Earthen Flower Pot Saucers. 3 in. to 12 in. **Red Paper Pots.** Made of water-proofed paper. Excellent for growing seedlings or for packing plants for shipment. Nicely finished and long lasting. 2¹/₄ in. to 6 in. diameter.

	Doz.	100	1000
2 ¹ / ₂ in.	\$0.23	\$1.00	\$ 5.75
3 in.28	1.25	6.85
4 in.40	1.65	9.45
5 in.45	2.35	13.75
6 in.50	2.60	17.00

SEED SOWERS

Cyclone Seed Sower—Will sow many acres per hour, any amount per acre. Does the work quickly and saves labor. Used for sowing clover, timothy, alfalfa, lespedeza, sudan grass, oats, wheat, or any other seed that is sown broadcast. Each \$3.25.

SOIL TESTING

Sudbury Soil-Test Kits. Provide a simple method of determining the nitrogen, phosphorus and potash contents and also the degree of acidity. No knowledge of chemistry is needed. These kits are used by Government departments, commercial growers, and thousands of home gardeners.

Home Garden Kit (20 tests)	\$ 2.00
Club Model (50 tests)	4.75
Horticultural Size	9.75
Professional Size	18.50

Additional testing fluids: 2-oz. bottle, 75c; 6-oz. bottle, \$1.50.

TYING MATERIALS AND DEVICES

Raffia, Natural. A palm-fibre used for tying plants, bunching vegetables, weaving, and basketry. 1/2-lb. pkg. 50c. In braids (uneven weights) just as pulled from the bale, 75c.

RAFFIA—Green Dyed—The best tying material for plants or other purposes requiring a strong fibre tie. Also used for basket making. \$1.25 per lb.


"TWIST-EMS"—Dark green tapes with wire reinforcing that makes perfect plant tie. A twist of the wrist and the plant is tied. Used by vegetable and market gardeners for staking and bunching. 7 in. 250 for 50c.

WATERING DEVICES

Soil Soaker. Puts water right in the soil at the plant roots. Made of porous canvas. Attached to a garden hose it fills up and water seeps through its entire length, soaking directly into the soil. 12 ft. long, \$1.40; 18 ft., \$1.90; 30 ft., \$2.90.



METAL PLANT PROPS



- (a) Just hook 'em in—the job's done.
- (b) Support Flower
- (c) Support Flowers, Vegetables better.
- (d) Termite and rot proof. No Rag Ties.
- (e) Baked in garden green enamel.
- (f) So simple a child can place.
- (g) Processed stiff steel of varying thicknesses to suit required support.

16" size, 55c doz.; 30" size, \$1.10 doz.; 42" size, \$1.35 doz.; 66" size, \$2.25 doz.; 78" size, \$3.30 doz.

FENCE RODS

Handy 1/4" diameter sturdy "jiggers" to protect, keep dogs and children from damaging plants, etc. Run rope or wire through loops and "cradle up" bushy plants. Green enameled. Price \$1.35 per dozen.

WICKETS

4 ft. end to end, 1/4" diameter, 21" high by 13" opening. Green enameled. No prongs to tear or scratch. Keeps traffic away. Markers for sidewalk lawns. 50 different practical garden uses. Price \$1.65 per dozen.



The first requirement for a good lawn is good seed. But the best seed can't give you a permanent lawn unless amply and correctly fed. Remember this formula: Good seeding plus proper feeding!



IT'S ALL A MATTER OF BALANCE...

A balanced diet, complete with all the elements needed from the soil for proper growth, is necessary if the things we plant are to thrive. That's common knowledge among gardeners.

And that's why each year finds many more gardeners feeding everything they grow with VIGORO, COMPLETE PLANT FOOD. It is proving the answer to their gardening problems! Long years of research preceded the introduction of VIGORO in 1923. Since that time research,

experience and millions of satisfied users have combined to make VIGORO the world's best known plant food. Try VIGORO on everything you grow and see the difference it makes.

Economical, easy to use, VIGORO will help you have a lovelier lawn . . . more beautiful flowers, shrubs and trees . . . a bigger producing vegetable plot with less work and at less cost. FEED EVERYTHING YOU GROW WITH . . .



VIGORO PRICES

100 lb. bag.....	\$4.00	10 lb. bag.....	\$0.85
50 lb. bag.....	2.50	5 lb. bag.....	.45
25 lb. bag.....	1.50	1 lb. bag.....	.10

How much plant food?

In the home garden the difference between scattering plant food broadcast on the surface and the newer method of row application is so slight that the simpler broadcast method is recommended. By applying 25 to 30 pounds of a good complete plant food to your soil over every 1,000 square feet, you can meet the needs of practically any crop you will grow that season. While some of the unused nitrogen might be lost by leaching if not taken up by plants, this represents perhaps a loss of less than 50c in value in the average garden. Unused potash and phosphorus will remain and be available for crops the following year.

Side dressing (scattering along the row) with sulfate of ammonia or nitrate of soda is recommended for all leafy green vegetables once or twice during the growing season. Ask for directions.

Breaking up heavy clay

Breaking up heavy clay soil is a problem with many. Liming helps break up clays, and since most clays are also acid, this helps correct acidity at the same time. However, organic matter, weight for weight, is much more effective in breaking up clays, since one particle of humus will pull together or "ball" eight times as much clay as will lime. For this reason try to apply all the manure or compost you can to clay soil. Adding sand helps, too, but remember (and this is very important) that enough sand must be used. If less than one-third the total volume of the soil is sand, then the sand particles merely act like the crushed stone or gravel in a concrete mixture. The clay particles flow around the sand and form a mixture like cement that will bake harder than ever in summer. To really break up the clay in a garden 60' x 100' would require approximately 200 cubic yards of sand. So unless you are prepared to apply liberal amounts of sand, don't use this material.

Building up light sandy soils is almost entirely a question of using enough manure or compost, and of growing cover crops whenever possible to increase organic matter. On small plots, adding clay has value, but this is costly unless the clay can be had for nothing.

Buy Plant Foods from those who KNOW!

An excellent rule, in buying plant food, is this—

"Buy only from someone who takes your garden to heart!"

We seedsmen want every customer to get the best possible results out of the seed we sell. We know that proper feeding can make or break a garden or lawn. And we know what is right and what is wrong.

So each sale of plant food means a lot to us! We're vitally interested! We want to help!

Folks who know buy their plant foods accordingly.

PLANT FOODS

ADCO—Converts almost any non-woody vegetable waste, leaves, vines and weeds into real manure fully equal to the farm-yard product in fertilizing power. Free from fowl odor, flies, weed-seeds, etc. 7½ lb. bag \$1.00; 25 lbs., \$2.50; 150 lbs., \$11.50.

ALKEMI—New 100% organic soil activator, containing all the growth factors needed in a garden soil, including beneficial soil bacteria, enzymes, hormones and minerals. Fulfills all demands of those who advocate all-organic soil feeding.

ALUMINUM SULPHATE—A material used in creating acid soils necessary for successful culture of Azaleas, Rhododendrons, and similar plants.

ASHES, HARDWOOD—High potash content. Contains all of the fertilizer elements except nitrogen. Tends to drive away insects.

BONE MEAL—All-purpose fertilizer, rich in the two principal plant foods—nitrogen and phosphoric acid.

COW MANURE—Fine and dry. Heat-treated to kill all weed seeds. Excellent for garden, lawn and greenhouse. Absolutely weedless. Builds up the soil and feeds plants in nature's safe way.

FRUITONE—The remarkable hormone spray that stops pre-harvest drop of fruit. Sprayed on flowers of tomatoes it makes a high percentage of the crop SEEDLESS! Also beneficial on beans and on flowers.

HUMUS—One of the best soil conditioners. Makes soil more workable and helps it hold moisture. Not a substitute for fertilizer, but an excellent companion for it. In convenient sized packages.

HYPONEX—Grows bigger and better house plants, flowers, vegetables, lawns and trees in poorest soil—even in sand, cinders, or water. Doesn't burn. Clean, odorless, soluble powder. 1 oz. pkg., 10c; 3 oz. pkg., 25c; 1 lb., \$1.00.

LEGUME INOCULATION—Just as necessary for garden peas and beans, lima beans, sweet peas and lupines as for alfalfa, clover, etc. The nitrogen-gathering bacteria build up the soil, increase your yields.

Inoculation is the cheapest form of crop insurance. Packages from the 10c garden size up to 5-bushel size.

LIME (Hydrated)—Sweetens sour soil for lawns, and clover. Is used as a reducer and in combination of many insecticides; for whitewash, deodorizing.

HY-GRO 13-26-13—Extra-highly concentrated plant food, quickly soluble in water. An excellent starter solution and all-around fertilizer. One ounce feeds 25 square feet of garden. 3-oz. jar, 25c; 20 oz. jar, \$1.00; 10 lb. size, \$4.00.

NITRAGIN—Restores and maintains soil fertility. This original legume inoculator

contains billions of efficient nitrogen-gathering germs, builds up the soil. Dated to insure freshness.

NITRATE OF SODA—Very quick source of nitrogen. Hastens maturity of crops. Should not be applied until plants are well above ground.


PEAT MOSS—Fine for garden mulch, as it conserves moisture. When incorporated in the soil, it promotes growth and supplies humus, which is very essential for growing plants. Fine winter protection for lawns; also as a mulch on strawberry, perennial beds, roses, evergreens, etc.

PLANTABBS—Clean white odorless plant tablets for indoor or outdoor use. See below.

LOVELY FLOWERS VELVETY LAWNS

Easy when you fertilize with
DRICONURE

This 100% all-organic fertilizer and soil improver helps you grow better flowers, vegetables and lawns. Economical, safe, easy to use. In 50 lb. bags (approximately 2 bushels). Order a supply today.



Potted Plants Garden flowers and vegetables grow amazingly when fed with PLANTABBS

Plantabbs put life and vigor into all plants, indoor and out. You can have beautiful Ferns. No brown tips. Gorgeous Begonias, Ivy, African Violets, Gardenias. It's easy to keep all garden flowers and house plants green, lovely, full of blooms.


GIVE YOUR VEGETABLES AN EXTRA BOOST

Feed them these plant food tablets. Get early, big yields—tomatoes, beans, cucumbers... all garden vegetables.

Fulton's Plantabbs provide a rich formula of Nitrogen (11%), Phosphoric acid (15%), Potash (20%), plus the secondary plant foods & Vitamin B1.



Easy to use. Insert tablet or dissolve in water. Results guaranteed or get your money back. Four sizes 25c, 50c, \$1, \$3.50.



NEW ORGANIC SOIL ACTIVATOR

ALKEMI, "50 times as effective as common fertilizer," re-builds the soil

Here is one of the most important messages about soil fertility you have read in years! It brings you news about a new material that makes real "compost gardening" easy... an organic soil builder that lets you return to the soil the vegetable matter you take out of it!

You've been hearing and reading a good deal, lately, about the need for organic replenishment of our soils, and the ills that come in the train of too much chemical feeding.

Now a great new discovery makes it possible for every gardener to re-build his soil "the all-organic way."

Not just a fertilizer

The name of this great new material is ALKEMI Soil Activator. It is the patented discovery of one of the world's foremost soil authorities. It is not an ordinary plant food, but a soil inoculant and re-builder. ALKEMI acts like a "plasma." It is pure organic matter, activated by friendly soil bacteria which fix nitrogen in the soil and help reduce minerals to soluble plant food.

Everything your plants need!

Truly good soil... soil that will produce richer vegetables, brighter flowers, lawns of deeper green... must have more help than chemical fertilizers alone can give it. Good soil must have bacteria, enzymes, hormones, minerals... more than 20 different growth-producing factors.

Manures and composting used to supply all these factors, but nowadays most garden soils are depleted—no matter how much chemical feeding they've had.

That's why ALKEMI is such a tremendous boon to modern gardeners. It provides all the needed growth factors quickly and economically.

50 times as effective!

ALKEMI gets results in a totally different way than common fertilizers. Tests show it beats fertilizers 50 to 1, pound for pound.

So—if you raise vegetables or flowers, commercially or at home... if you want a richer, greener lawn... you owe it to yourself to test the ALKEMI COMPOST WAY against your present methods. Let results decide!

In clean handy packages.

5 lbs... \$ 2.00
10 lbs... 3.00
25 lbs... 6.50
100 lbs... 24.00



Alkemi SOIL ACTIVATOR

HYPONEX
PLANT FOOD

Grows bigger, better house plants, flowers, vegetables, lawns, and trees in poorest soil—even in sand, cinders or water. Results sure. Doesn't burn. Clean, odorless, soluble powder. 1 oz. makes 6 gallons.

	Retail
1 oz. pkt. (packed 72 to case)	10c
3 oz. can (packed 36 to case)	25c
7 oz. can (packed 24 to case)	50c
1 lb. can (packed 12 to case)	\$ 1.00
10 lb. drum, makes 1000 gals.	8.00
25 lb. drum, makes 2500 gals.	15.00
50 lb. drum, makes 5000 gals.	25.00
100 lb. drum, makes 10,000 gals.	40.00

PLANT FOODS — Continued

ROOTONE—You can help cuttings to root faster by dipping them in the hormone powder, Rootone, before planting. Percentage of successful rooting is increased remarkably by this new treatment.

ROSE FOOD (G & O)—A balanced combination of organic ingredients, selected for the particular "make-up" and sequence availability that roses need. Improves the color and size of your roses.

SHEEP MANURE—An economical and effective balanced plant food. Excellent for lawns, gardens and general use. Most extensively used of animal manures in feeding of lawns and gardens. Weed-free and rapid in its action. Supplies an abundance of humus and all the essential plant-food elements.

SUDBURY SOIL TEST KITS

Do your own soil testing! Kits are simple, practical, easy to use. Let you determine

G & O ROSE FOOD



... at last, a real organic, no-filler fertilizer, ESPECIALLY FOR ROSES!

You can't feed roses a "good-for-everything" commercial food and get the color, size of bloom and stock you want!

G & O Rose Food is specialized—a balanced combination of ORGANIC ingredients—selected for the particular "make-up" and sequence availability that roses need. TRY IT—and see what a difference it makes!

1 lb., 20c; 5 lbs., 65c; 10 lbs., \$1.15; 25 lbs., \$2.50; 100 lbs., \$8.50.

For better color, size, strength

just how to fertilize and lime for best results. Complete kit, good for 20 individual tests, \$2.00.

SUPER PHOSPHATE—Aids plant nutrition and assists the plant to assimilate other ingredients. An efficient fertilizer element for lettuce, truck crops, cereal crops and alfalfa.

TRANSPLANTONE—Remarkable new Vitamin-Hormone stimulant effective in reducing transplant shock, and wilt of all kinds of plants or shrubs. Also effective in bringing about earlier maturity on tomatoes, lettuce, celery, peppers, tobacco and cabbage.

BAND-DIT

COPYRIGHT 1946

SAVES PRECIOUS TREES

ALL PREPARED AND EASY TO APPLY—A SIMPLE METHOD OF BANDING TREES



A STICKY BAND WITH DDT

FOUR CONVENIENT LENGTHS

2 FT. TREES UP TO 7 1/2" IN DIAMETER - 50c

3 1/2 FT. TREES UP TO 13" DIAMETER - 75c

5 FT. TREES UP TO 19" IN DIAMETER - \$1.00

8 FT. TREES UP TO 31" IN DIAMETER - \$1.25

Mfg. by UNIVERSAL TREE BAND CO.
1440 Grand Ave. St. Paul 5, Minn.

VIGORO—The complete plant food. Supplies all the elements growing things need from the soil. Because it offers such complete nourishment, Vigoro helps produce greater yields of finer flavored, more nutritious vegetables. Produces lovelier lawns and flowers. Clean and odorless. 5 lbs., 45c; 10 lbs., 85c; 25 lbs., \$1.50; 50 lb., \$2.50; 100 lbs., \$4.00.

PEST EXTERMINATORS

"Their Last Meal"

ANT-X JELLY BAIT (Thallium)—For destroying all species of ants—SIMPLE TO USE—Not a repellent but a food bait that ants eat and carry back to the nest. Destroys entire colony. "THEIR LAST MEAL." 35c and \$1.00 sizes.

ANT-X ANT TRAPS (Thallium)—A safe, sanitary method for controlling ants in house and garden. Attracts and destroys both sweet and grease-eating ants. Cannot be opened by children or spilled by pets. May be placed inside ice-boxes or other food containers without contaminating foods. "THEIR LAST MEAL." 25c.

RAT-NOTS—A non-poisonous prepared bait containing genuine RED SQUILL. Safe, sanitary! Rats are attracted to RAT-NOTS because of their tempting odor. "THEIR LAST MEAL." 25c and \$1.00.

RAT-TU . . . contains Antu, the marvelous new rat killer.

Here are two remarkable new poisons, both made with the recent discovery, Antu, most successful rat poison ever made available:

RAT-TU with 25% Antu, for tracking—sprinkle it in runways and burrows. Rats track through it and are fatally poisoned when they lick their feet. 35c and 60c sizes.

RAT-TU with 5% Antu, for baiting—use it in their drinking water or for bait. Sifter-top can, 35c.

MOUSE-NOTS—Easily hulled, treated seed bait, appeals to the finicky taste of mice. Spread in places mice frequent. "THEIR LAST MEAL." 25c and \$1.00 sizes.

ROACH-NOTS—A prepared powder bait, quick and effective. Also quickly kills water-bugs and silverfish. "THEIR LAST MEAL." 25c and \$1.00 sizes.

MOLE-NOTS—Life-saver for lawns, flower and seed beds. Sure death to bulb-eating, root-destroying moles. Safeguards bulbs at time of planting. "THEIR LAST MEAL." 35c, \$1.00 and \$2.00 sizes.

NOTT'S ANTU RAT PASTE (5% Antu)—For big, well-fed, hard-to-catch rats which dodge cats and traps, and are finicky in their eating habits. "THEIR LAST MEAL." Handy tubes, 35c and \$1.00.

DOG-CHECK—An effective proven curb to canine habits, needed by all whose neighbor's dogs "visit" and wither flowers, shrubs, hedges. One spraying usually lasts two to three weeks—unaffected by light rains. 60c and \$1.00 sizes.

SKEET-CHECK—An ointment repellent, in convenient handy tubes, easy to apply and pleasant to use. Unexcelled for repelling mosquitoes, gnats, black flies, deer flies and other annoying insect pests. Is also an excellent soothing salve. 35c.

FLEA-NOT-POWDER—Kills fleas, ticks, lice and other parasites which infest the skin of dogs and other pets. Harmless, easy to use—attractive shaker top can. \$25c.

WEEDONE

TRADE MARK

The famous 2,4D weed-killer

Kills Poison Ivy, Poison Oak, Bindweed, Honey-suckle, Dandelion, Plantain, many other noxious weeds. Sprayed on leaves, it travels down and kills internally, right out to the root tips. Sprayed on lawns, it kills lawn weeds without killing grass. Safe for humans and animals. Does not hurt the soil or corrode spraying equipment. Just mix with water and spray.

6-ounce can 75c covers 1,000 sq. ft.
Quart \$2.50 covers 5,000 sq. ft.
Gallon \$7.50 covers 1/2 acre

Larger Quantities on Request

ROOTONE

Reg. U. S. Pat. Off.

The Plant Hormone Powder

This nationally known hormone powder makes cuttings root faster and more successfully. It stimulates seed germination so that rooting is heavier and you get a better stand of seedlings. Endorsed and used by leading growers everywhere. Trial packet 25c—2 oz. jar \$1.00—1 lb. can \$5.00.

FRUITONE

REG. U. S. PAT. OFF.

FRUITONE, the hormone spray for stopping premature drop of fruit, flowers, and leaves. Sprayed on flowers of tomatoes or beans, it produces better set, larger crop, and high percentage of seedless tomatoes. Makes Christmas greens hold their leaves longer. 2/5-ounce packet, 25c. 2-ounce package, \$1.00. 12-ounce can, \$5.

TRANSPLANTONE

Reduces shock and wilt when plants are moved. Produces earlier maturity on tomatoes, lettuce, celery, peppers, tobacco and cabbage. Used on plants, shrubs and trees it encourages growth and bloom. One teaspoonful of powder makes 10 gallons of solution. Trial packet 25c—1 oz. can 50c—3 oz. can \$1.00—1 lb. can \$4.00.

GARDEN TOOLS


Scarcity of steel and other disappointing factors are still holding back tool production more than we anticipated. We have, naturally, done our best to gather a good supply of the tools you will need — and are confident we will be able to take care of your requirements. We suggest that you visit our store, from time to time, to take advantage of incoming shipments.



CULTIVATORS


Speedy Cultivator. Highly tempered steel tines, sharp and curved to penetrate the soil with an easy pulling motion. Excellent under shrubs. 4 tines, 4½ ft. handle.

Norcross Cultivator. Rugged tool with forged steel teeth, adjustable fastening. Fine for plots not large enough to need wheeled cultivator. 5 tooth, 4 ft. handle.



Hand Cultivator Weeders. Short handled weeders. Indispensable for close-in work. 3 and 5 prong styles.

Visit our store for further selection.



FORKS

Spading Fork. Light weight with D handle. 4 angular black tines with polished face.

Spading Fork. Heavy weight with D handle, 4 tines. An indispensable garden tool for general spading and digging.

Hay Fork. Bent handle, 3 tines, 4 tines.

HOOKS


Grass Hooks (Sickles)—Various styles, all with good steel cutting blades and well-balanced designs. Wood handles.

Potato Hooks. Best quality, with 4 broad oval tines tumbled. Handles 4½ feet.

SHEARS

Grass Shears. Easy cutting action for trimming edges and borders. High quality steel, pinch-proof handles.

Hedge Shears. Can be used both for trimming hedges, and for cutting grass under fences, bushes, etc. 8 and 9 inch blades.



HOES

Field or Garden Hoe. The standard, General-purpose hoe for garden and farm use. Full polished blade, 6½ inches wide, riveted to steel shank. 4 foot handle.

Onion Hoe. Square top pattern with full polished 6½ x 1¾ inch blade and 4½ foot spring pattern handle.

Scuffle Hoe. Skims under the surface of the soil, cutting off weeds, and making a dust mulch. 8 inch black blade, straight 5 foot handle.

Warren Hoe. Pointed steel head for drilling seed, covering furrows, hilling and cultivating.

KNIVES

Asparagus Knife. 10 inch forged steel blade, hardened and tempered, with V-shaped cutting point. Can also be used as dandelion weeder.

Budding, Propagating, and Pruning Knives. Ask for available items.

Edging Knife. It is easy to keep the lawn well trimmed with this splendid long-handled half-moon shaped edging knife.

SCYTHES

Grass Scythes, for all-around use.

Weed Scythes, strong and stiff.


Bush Scythes, for underbrush.

Made of best crucible steel, strongly ribbed, finished in black with polished cutting edge. We offer as large a variety as may be available in blade and handle length styles. Visit our display!

SHOVELS

Square Point Shovel. Highest grade with polished blade, smooth back, strapped. Long handle and D handle type.

Round Point Shovel. Best home garden shovel. Long D handle, smooth back, strapped.



RAKES

Rakes, Steel, Curved Tooth. Strongly made with steel teeth on head ¼ inch thick. Handles are straight, 5½ feet long.

Rakes, Steel, Straight Tooth. Standard level-head. Reverse side can be used for leveling beds. 14 straight teeth.

Wood Rakes. Rigidly and strongly constructed. Used for lawn work.

Bamboo Rakes. A fan shaped rake strongly made to stand a lot of hard usage. 18 inches, polished wood handles.

Steel Broom-Rake. Flat, spring-steel teeth, bent at ends. Will remove smallest leaves and litter without injuring the sod.

PRUNERS

Pruning Shears. Visit our store to see latest available types.

Tree Pruners. The steel cutting blade easily cuts branches with smooth, clean results. Three lengths of handles available: 8 feet, 10 feet, and 12 feet long.

Flower Gathering Shears. Make flower gathering a one-hand operation. They cut the stem of the flower and hold it for you.

SPADES

Square Point Spade. Fully strapped, smooth back with flat polished blade. D handle.

TROWELS

All-Steel Garden Trowel. Made of one piece of rigid steel, with shaped ventilated handle. Polished blade, 6 inches.

Transplanting Trowel. Light, strong, and durable. Ideal for transplanting seedlings. Narrow 6 inch blade of solid steel.

WEEDERS

Hand Weeder. Three forged steel tempered prongs with short handle. One of the finest weeders for close work.

Lawn Weeder. Curved blade edge loosens the soil, grasping plant without disturbing surrounding soil. Forged-steel blade, with long hardwood handle.

Weeder and Hoe Combined. Saves time and does the work with half the labor.

Dandelion Weeder. V-shape design insures positive cutting without effort. Made of tempered steel to withstand hard usage.

SPRAYERS and DUSTERS

"Bugs is bugs," whether they're attacking a hundred acres of fruit trees or a back yard garden patch. To fight 'em, you need the right spray equipment. And to get that kind of equipment, CONSULT US! We KNOW sprays and sprayers — and we're always anxious to make sure you get the right kind.

Compressed Air Tank Sprayers. Open top or funnel top. 2 to 4 gallon sizes, for all types of farm and garden spray work, whitewashing, etc. Easy to fill, easy to clean.


Light Hand Sprayers. The right models for the back yard garden, chicken house, etc. (Supply is short, but we can probably take care of you.)

Wheelbarrow Type Sprayers. Heavy duty portable outfits for orchard, farm, and industrial work. Consult us about models available.


Bucket Spray Pumps. Bucket or barrel types for white-wash, cold water paints, insecticides, caustic mixtures, etc. Consult us about models available.



Continuous Spray-ers. Convenient, efficient sprayers for insecticides, fly oils, deodorants, fly repellents, stock sprays, etc. For farmer, gardener, poultryman.



Dusters. Various models, made to handle any powdered insecticide, with any desired discharge from a very fine to a very heavy cloud. Heavy duty models for truck farms, orchards, etc. Lighter models for the garden.



Sprayer supplies are still not normal. However, we are making every effort to maintain a complete stock and expect to be able to take care of your needs.



INSECTICIDES and FUNGICIDES

For ant controls and other pest exterminators, refer to complete list on Page 36. Prices are subject to change without notice.

ARSENATE OF LEAD—The standard insecticide for controlling practically all leaf-eating or chewing insects. Spray or dust. 1 to 2 tablespoonfuls make 1 gallon spray.

ACME BAIT-M—Contains Tri-Calcium Arsenate, proven by years of use, to control cutworms, sow bugs, and grasshoppers. Also contains the marvelous new ingredient, metaldehyde, to destroy slugs and snails.

BLACK LEAF 40. Nicotine Sulphate 40% solution for controlling aphids (plant lice), thrip and other soft bodied sucking insects. 1 teaspoonful makes 1 gallon. 1 oz. bottle, 36c; 5 oz. \$1.05.

CALCIUM ARSENATE—Arsenic and lime. A cheap quick-acting poison for potato bugs and other leaf-eating insects.

BORDEAUX MIXTURE. Standard copper fungicide for controlling black spot, mildew, blight, leaf-curl, scab and other fungous diseases on flowers, fruits, vegetables and other plants. 1 lb. 35c; 4 lbs. 95c.

CERESAN—Effective in controlling covered smut and stripe of barley, oat smuts, and bunt or stinking smut of wheat. A pound treats 32 bushels. 4-oz. pkg. 30c; 1 lb. 80c; 4-lb. pkg. \$2.70; 25-lb. pkg. \$15.00.

CYANOGEN "A" DUST. Calcium cyanide for killing rats, moles, gophers, etc. Gives off deadly gas but leaves no poisonous residue. ¼ lb. can 30c; ½ lb. 45c; 1 lb 75c; 5 lbs. \$3.00; 25 lbs. \$10.00.

CYANOGEN ANT KILLER—A. Dust. Powder to be blown into ant-hills, etc. 4 oz. can 30c.

CYANOGEN G. FUMIGANT. The most effective fumigant for greenhouse pests such as white fly, thrips, aphids, etc. Fumigation is started at dark by scattering the Cyanogen on the walks after which the house is closed for the night. 5 lbs. \$3.00.

D. X. SPRAY. An economical spray for both sucking and chewing insects. Kills aphids and Mexican bean beetles; harmless to human beings. 1½-oz. bottle, 45c; 8-oz. bottle, \$1.45.

GO-WEST INSECT BAIT—Combats and destroys cutworms, grasshoppers, snails and other insects with similar leaf-eating habits.

KOPPER QUEEN MILDEW SPRAY—A strong liquid spray for control of mildew, leaf spot and black spot on rose bushes, flowers and many other kinds of foliage. Leaves a thin insoluble film of copper, preventing fungous attack, without unsightly residue.

KOPPER SHIELD PRUNING PAINT—A specially prepared liquid paint containing copper for treating wounds left by pruning, storms, or accidents, to prevent such diseases as European canker fungus, hard rot, and certain other fungi. Forms a protective shield while the tree is naturally overcoming the shock.

KRYOCIDE—Can be used as dust or spray for effective control of chewing insects.

LIME SULPHUR, Liquid—A dormant spray material against scale of all kinds. Dilute with cold water—1 gallon makes 10 gallons of spray.

LIME SULPHUR, Dry—A dormant spray to kill scale or use as a summer spray for control of fungus disease.

NICO-FUME LIQUID—A greenhouse fumigant and spray material. 1 lb. can \$2.50; 4 lb. can \$7.10; 8 lb. can \$13.00.

NICO-FUME POWDER—A greenhouse fumigant for the control of numerous insect pests. ½ lb. and 1 lb. sizes packed in pressure fumigator containers. ½ lb. tins 60c; 1 lb. tins \$1.00; doz. \$7.40.

PARIS GREEN. An effective insecticide for control of chewing insects, particularly recommended for potato bugs. ¼ lb. 20c; 1 lb. 70c.

POMO-GREEN WITH NICOTINE—A combined insecticide and fungicide for control of black spot and mildew on plants and shrubs, especially Roses. Does not discolor foliage.

RED ARROW GARDEN SPRAY. Concentrated Pyrethrum and Rotenone extract containing soap, spreader and sticker. Harmless to animals. 1 oz. 35c; 4 oz. \$1.00; 1 pint \$2.85; 1 quart \$5.00; 1 gallon \$17.00.

D. D. T. PRODUCTS for Farm and Garden

DURADUST No. 50

Contains 50% Wettable DDT

The strongest, finest DDT powder science has yet been able to produce! Duradust No. 50 is toxic when eaten by the insect or when it comes in contact with the insect's legs or body. Its killing power endures. **FOR CROP SPRAYING OR DUSTING**—controls codling moth, oriental fruit moth, leaf hopper, flea beetle, psyllid, potato bug, potato aphid, plant bug, Jap beetle, cabbage worm, caterpillar, thrip, rose chafer, and many others. Suitable for all plants except vine crops. **FOR LAWN SPRAY**—controls cutworms, ants, earwigs, sow bugs, chinch bugs. **FOR**

WALL SPRAY—most economical in barns, milk houses, hog sheds, etc. Also excellent **FOR CATTLE SPRAY, DIP, OR DUST**. 1 lb., \$1.00; 4 lbs., \$2.65; 50 lbs., \$31.00.



RED RIVER POTATO MIX

Contains 9.5% Wettable DDT, 15.1% Metallic Arsenic, 25.7% Metallic Copper. For years the recognized leader, now even better. Shows 25% and more increases in yield when compared to older methods in repeated tests. Controls all insects which eat the leaves, suck sap, irritate leaf surfaces or cause disease infection. Acts as a stomach poison and by contact. High copper content gives better blight prevention, produces green, healthy foliage. Use as spray or as dust. 1 lb., 50c; 4 lbs., \$1.55.

ACME GARDEN DUSTS AND SPRAYS



ROTENONE GARDEN GUARD

An ideal insecticide for the home garden. Dust or spray. The killing ingredient is Rotenone ¾ of 1%—non-injurious to human and warm blooded animals. Acts both as contact and stomach poison against a wide range of insects. 1 lb. sifter carton, 55c; 1 lb. pump gun, 75c; 4 lb. pkg., \$1.20; 50 lb., bag, \$13.00.

ACME TOMATO DUST

Especially prepared to control blight and worms preying on tomatoes. While specifically designed for tomatoes, it also is equally effective in the control of leaf chewing insects and blight on many other vegetables such as potatoes, cucumbers, beans and cabbage, also many flowers as roses, azalea, evergreens, asters, and hollyhock. 1 lb. pump gun, 65c; 1 lb. sifter, 45c; 4 lb. pkg., 90c; 50 lbs. \$10.



ACME GARDEN DURADUST

5% DDT and 9% Metallic Copper

Ready to use—for vegetable and flower garden. The DDT is picked up on contact by insects' legs and bodies—and quickly penetrates vital parts. Very effective against insects not killed by older remedies (such as leaf hopper, corn ear worm, rose chafer.) Sprinkled on lawns, it is very beneficial as a control for cutworms, ants, earwigs, sow bugs, chinch bugs and several other lawn enemies. 1 lb. sifter carton, 50c; 4 lb. bag, \$1.10.

ACME EMO-NIK

A valuable spray for the control of scale, red spider, mealy bug, white flies, rust mites, aphids, and many other common insects. A complete contact insect spray combining nicotine in its most active form with Emo, a high quality summer oil emulsion. Practically odorless when sprayed. 4½ oz., 35c; pint 70c; quart, \$1.00; gallon, \$2.75.



ROTENONE GARDEN SPRAY (NNOR)

Containing Rotenone, kills most common garden bugs of both sucking and leaf eating types. **You've got to wet them—to get them.** NNOR penetrates the waxy or hairy covering, brings the tremendous power of Rotenone into action. 1 oz., 35c; 6 oz., \$1.00; 16 oz., \$2.15; gallon, \$13.50.

ACME WETTABLE DUSTING SULPHUR

An improved dusting sulphur for home use which can also be used as a liquid spray. Controls red spiders on evergreen, mildew, leaf spot, black spot, and rust on rose bushes, chrysanthemums, snapdragons, carnations, and certain other foliage. 98% passes through a 325 mesh screen. An excellent chigger chaser. 2 lbs., 40c.



ASK FOR YOUR FREE COPY of the ACME SPRAY GUIDE

Scalecide. Reliable spray for scale and soft-bodied sucking insects. A soluble miscible oil that mixes instantly with cold water.

Semesan. Effective in controlling damping-off, scab, hard rot, etc. 2 oz. can 40c; 1 lb. can \$2.50; 5 lb. can \$11.40; 25 lb. can \$52.50.

Semesan Bel. For use on potatoes. Controls such seed-borne disease organisms as scab, rhizoctonia, and black-leg. One pound treats 60 to 80 bushels of seed. 2 oz. 30c; 1 lb. \$1.65; 5 lbs. \$7.15; 25 lbs. \$33.25.

Spergon. A seed-treating material for treating harmful fungi. Improves germination. For vegetables and field seed.

Sulphur, Dusting. For controlling powdery mildew, blight, black spot, rust and most rose diseases.

Sulphur, Wettable. An improved sulphur which can also be used as a liquid spray. 98% passes through 325 mesh screen.

TRI-GEN Spray. Three way treatment for roses and most vegetable plants. Used and highly recommended by leading rosarians. Controls insects and fungus, assuring healthy, strong and vigorously blooming roses. E Kit 90c; A Kit \$1.50; B Kit \$4.00; C Kit \$6.00; D-Estate Kit \$20.00.

Volck, Nursery. An insecticide effective against mites, scale, red spider and mealy bug, and when combined with "Black Leaf 40," Volck also controls thrips, lacy-wing fly and chrysanthemum midges. 1/2 pt. can 35c; pt. can 50c; qt. can 75c.

WEED KILLERS

Ammate Weed Killer. Effective for control of poison ivy, ragweed, Canada Thistle, and many other troublesome weeds.

Weedone. The new scientific weed killer. Kills Poison Ivy, Poison Oak, Bindweed, Jap Honeysuckle, other noxious weeds. Sprayed on leaves it travels down and kills right out to the root tips. Non-irritating, non-corrosive, contains no arsenic or chlorates. Just mix in water and spray. 6 oz. can, 75c, covers 1000 sq. ft. . . . Quart, covers 5000 sq. ft. . . . Gallon, \$7.50, covers 1/2 acre. Larger quantities on request.

Zotox. Destroys Crab Grass in lawns without permanent injury to lawn grasses. Also kills Chickweed, Spurge, Dandelion, Plantain and many other lawn weeds. A 16 oz. bottle makes 10 gallons and treats up to 2000 sq. ft. Price: 8 oz. bottle \$1.00; 16 oz. \$1.50; 32 oz. \$2.50; 5 lb. \$4.50.

MISCELLANEOUS

Chaperone, Liquid. Outdoor dog repellent that won't dissolve in rain. Harmless, long lasting. Ends the dog nuisance in your garden.

Chaperone, Powder. Indoor dog repellent, that keeps your dog off furniture. Almost odorless to humans. A fine help in training your dog.

Dog-Check. An effective proven curb to canine habits, needed by all whose neighbor's dogs "visit" and wither flowers, shrubs and saplings. One spraying usually lasts from two to three weeks—unaffected by light rains. Each package contains 6 DOG-CHECK APPLICATORS. 60c and \$1.00

Tree Saver Bands. Keep trees healthy and beautiful. A ready-to-use tree protector containing DDT, the wonder insecticide, with a long life sticky material to give your trees double protection. 3 1/2 feet in handy container, 75c.

Tree Wound Paint. A very adherent and lasting antiseptic dressing for scalding and waterproofing tree wounds.

Biting or Chewing Insects such as beetles, caterpillars, grasshoppers, and the like, can best be controlled by the application of poisons to the plants upon which they feed.

Sucking Insects such as aphids, weevils, leaf hoppers, etc., insert their beaks into the leaves, stems or fruits and suck the plant juices. Hence "stomach" poisons applied to the surface of the plant will not kill them. They must be killed by use of contact poisons.

Scale Insects that develop protective coverings are most easily killed by strong corrosive solutions, such as a concentrated lime-sulphur mixture, applied during late fall or winter when foliage is off the plants—and by other materials.

We have the right remedies for all these insect types.

IF YOU'RE NOT SURE WHICH REMEDY IS THE RIGHT ONE, CONSULT US. IT'S OUR JOB TO SEE THAT YOU ARE PROPERLY ARMED FOR YOUR BATTLE AGAINST INSECTS & PLANT DISEASES.

D-X SPRAY

One of the most effective and popular garden insect sprays. Contains rotenone, pyrethrum and DDT for more complete kill of the greatest number of insects. Two teaspoonfuls to each gallon of water makes a powerful spray for flowers, fruits and vegetables.



1 1/2 oz. bottle.....\$.45

8 oz. bottle..... 1.45

Also available in larger sizes.



Spray with

BLACK LEAF 40

Aphis (plant lice), leafhoppers, leaf miners, mealy bugs, lace bugs, most thrips, young sucking bugs and similar insects can be controlled.

An ounce makes 6 gallons of spray effective on aphids. Full directions with package—A quick, sure, economical control for these insect pests.

Just a little spread on roosts kills poultry lice and feather mites.

WEED -NO- MORE

America's No. 1 Weed Killer

Won't Harm Most Common Lawn Grasses!

\$1.00

Rids Your Lawn of Ugly Weeds!



8 ounces make 8 gallons enough for average Lawn

\$2.98 qt. Economy size makes 32 gallons



New Weed-No-More Automatic Sprayer . . . only 59c

SOLD BY STORES EVERYWHERE

By the Makers of **KENT-TONE**

PRODUCTS OF **SHERWIN-WILLIAMS RESEARCH**

Simplified Pest Control the ORTHO Way

DUST

SPRAY

BAIT



MULTI-PURPOSE DUST

BOTANO Garden Dust. For use against many insects and diseases. One of the safest multi-purpose dusts that can be used. 10-oz. size also serves as handy garden duster. Includes **ROTENONE** and **PYRETHRUM**. 10-oz. Duster, 2-lb. Pkg.

MULTI-PURPOSE SPRAY

ORTHO Garden Spray Set. For use against more prevalent **GARDEN INSECTS**. Set contains 4-ounce bottle of **EXTRAX** Insect Spray, **GREENOL** Liquid Fungicide and **VOLCK** Oil Spray. Makes 25 gallons Multi-Purpose Spray.

MULTI-PURPOSE BAIT

APPO Cutworm Bait. A new poisoned Apple bait. Kills Cutworms, Strawberry Root Weevil; also Vegetable Weevil, Slugs, Snails. 1-lb. Carton

CALIFORNIA SPRAY-CHEMICAL CORP.
Richmond, Calif.-Elizabeth, N. J.

EVERETT SEED COMPANY

78 Alabama Street, S.W. (Between Whitehall and Pryor)

ATLANTA, GEORGIA

Everett's **GOOD** *Seeds*



—for the farm



—for the home garden

Cow Peas
Soy Beans
Peanuts
Velvet Beans
Crowder Peas
Lespedeza
Clover
Pasture Grasses
Sorghum
Cane
Sudan
Millet
Field Corn
Alfalfa
Hegari
Kaffir
Milo
Crotalaria
Austrian Peas
Vetch
Lupine
Oats
Rye
Barley
Wheat
and a complete
range of
**VEGETABLE
SEEDS**
and
FLOWER SEEDS